Hand protection

THRYM VV736

THERMAL COLD WORKS

Waterproof, multi-standard glove with a fine grip for intensive cold work



Specific benefits

Easy to use

· Perfect fit so that users do not feel any discomfort in the wrist area with prolonged use

Applications

- **Agriculture**
- **Public Works**
- **Building**
- **Finishing Works/Craftsmanship**
- **Maintenance**
- **Temporary Work**

Certifications and norms

CE CATEGORY II

EN 388
2 2 3 1 B

EN 511
1
2
1

EN 407
X 2 X X X X

Risk Protection

Cold

Hand protection

THRYM VV736

THERMAL COLD WORKS

Waterproof, multi-standard glove with a fine grip for intensive cold work

Standards - Details



EN388:2016+A1:2018
2 [0-4] ABRASION RESISTANCE
2 [0-5] CUT RESISTANCE
3 [0-4] TEAR RESISTANCE
1 [0-4] PIERCE RESISTANCE
B [A-F] CUT RESISTANCE ISO 13997



EN 407
X [0-4] BURNING BEHAVIOUR
2 [0-4] CONTACT HEAT RESISTANCE
X [0-4] CONVECTIVE HEAT
X [0-4] RADIANT HEAT RESISTANCE
X [0-4] SMALL DROP MOLTEN METAL
X [0-4] LARGE QUANTITY MOLTEN METAL

Technical details

Glove kind	Special glove
Glove family	Knitted coated glove
Mechanical Glove Type	Tricot
Coating Level	Hand Coated
Coating Material	Latex
Coating Finish	Grip-textured
Number of Coatings	Double Coated
Gauge	15
Benefits element	Reach, DMF free, Vendor pack, Phtalates free, Azo Free
Color	Blue-Black
Size	9, 10, 11
Type of conditioning	in individual bag

Packaging

Sale unit: in individual bag
60 pairs /box

THRYM VV736

TRABALHOS TÉRMICOS FRIOS

Proteção das mãos

Luva multinorma, estanque, proporcionando destreza e aderência para trabalhos intensivos em frio

Informação logística

Referência	Cor	Tamanho	Designação	EAN 13	Código da caixa			Peso			
GKV736T101BL09 [VV736BL09]	Azul-Preto	09	THRYM VV736	3295249201265	13295249201262	60	12	7.776 kg	28.8 cm	64.4 cm	24.6 cm
GKV736T101BL10 [VV736BL10]	Azul-Preto	10	THRYM VV736	3295249201272	13295249201279	60	12	8.0 kg	29.4 cm	66.8 cm	25.0 cm
GKV736T101BL11 [VV736BL11]	Azul-Preto	11	THRYM VV736	3295249201289	13295249201286	60	12	8.6 kg	30.4 cm	66.0 cm	25.0 cm

Caixa completa

Mínimo venda

Largura da caixa

Profundidade da caixa

Altura da caixa