



Hand protection

VENICUT F XTREM CUT - VENICUTF03

INTENSE CUT WORK

Level F cut-resistant glove, ideal for heavy duty work in dry conditions



Specific benefits



Easy to use

· Perfect fit so that users do not feel any discomfort in the wrist area with prolonged use



Performance

· Xtrem CUT fiber for comfort and flexibility combined with the highest level of cut protection on the market
· The anti-slip properties of the polyurethane coating provides good grip.

Applications

- Agriculture
- Public Works
- Building
- Finishing Works/Craftsmanship
- Maintenance
- Automotive

Certifications and norms



EN 388
4 X 4 2 F



Risk Protection



Cutting



Wearing



enjoy safety.

Edit 20/05/2025
www.deltaplus-usa.com



Hand protection

VENICUT F XTREM CUT - VENICUTF03

INTENSE CUT WORK

Level F cut-resistant glove, ideal for heavy duty work in dry conditions

Standards - Details



EN388:2016+A1:2018

4 [0-4] ABRASION RESISTANCE
X [0-5] CUT RESISTANCE
4 [0-4] TEAR RESISTANCE
2 [0-4] PIERCE RESISTANCE
F [A-F] CUT RESISTANCE ISO 13997

Technical details

Glove kind	Mechanical glove
Glove family	Knitted coated glove
Mechanical Glove Type	Tricot
Coating material and finition	PU
Coating Level	Palm Coating
Number of Coatings	Single Coated
Gauge	13
Cuff characteristic	Long cuff
Cuff length (mm)	100
Benefits element	Reach, Vendor pack, Long cuff (>290mm)
Color	Gray
Size	6, 7, 8, 9, 10, 11
Type of conditioning	in individual bags








Safety gloves

VENICUT F XTREM CUT - VENICUTF03

INTENSE CUT WORK

Level F cut-resistant glove, ideal for heavy duty work in dry conditions

Logistics Information

Reference	Color	Size	Designation	EAN13	Box Code			Weight			
VECUTF03GR06	Gray	06	VENICUT F XTREM CUT - VENICUTF03	3295249255183	13295249255180	60	12	4.8 kg	32.2 cm	72.2 cm	16.2 cm
VECUTF03GR07	Gray	07	VENICUT F XTREM CUT - VENICUTF03	3295249255299	13295249255296	60	12	5.1 kg	32.8 cm	72.0 cm	16.0 cm
VECUTF03GR08	Gray	08	VENICUT F XTREM CUT - VENICUTF03	3295249255305	13295249255302	60	12	5.4 kg	33.0 cm	72.0 cm	16.0 cm
VECUTF03GR09	Gray	09	VENICUT F XTREM CUT - VENICUTF03	3295249255312	13295249255319	60	12	5.7 kg	38.0 cm	48.8 cm	20.6 cm
VECUTF03GR10	Gray	10	VENICUT F XTREM CUT - VENICUTF03	3295249255329	13295249255326	60	12	6.1 kg	38.2 cm	48.2 cm	20.8 cm
VECUTF03GR11	Gray	11	VENICUT F XTREM CUT - VENICUTF03	3295249255336	13295249255333	60	12	6.24 kg	40.5 cm	51.0 cm	23.5 cm



Multiple Sales



Minimum Order Quantity



Box Width



Box Depth



Box Height