Hand protection

VENICUT F XTREM CUT - VENICUTF01

INTENSE CUT WORK

A6 rated cut-resistant glove ideal for heavy duty work in oily or aqueous environments

Specific benefits

Easy to use

· Perfect fit so that users do not feel any discomfort in the wrist area with prolonged use

Performance

· Xtrem CUT fiber for comfort and flexibility combined with the highest level of cut protection on the market

· The nitrile coating gives people working in oily/greasy environments an excellent grip on the objects they handle

Applications

- **Agriculture**
- **Public Works**
- **Building**
- **Finishing Works/Craftsmanship**
- **Maintenance**
- **Automotive**

Certifications and norms

CE CATEGORY II

EN 388
4 X 4 3 F

EN 407
X 1 X X X X

A6 X X

Risk Protection

Cutting

Wearing

Perforation

Hand protection

VENICUT F XTREM CUT - VENICUTF01

INTENSE CUT WORK

A6 rated cut-resistant glove ideal for heavy duty work in oily or aqueous environments

Standards - Details

EN388:2016+A1:2018
4 [0-4] ABRASION RESISTANCE
X [0-5] CUT RESISTANCE
4 [0-4] TEAR RESISTANCE
3 [0-4] PIERCE RESISTANCE
F [A-F] CUT RESISTANCE ISO 13997

EN 407
X [0-4] BURNING BEHAVIOUR
1 [0-4] CONTACT HEAT RESISTANCE
X [0-4] CONVECTIVE HEAT
X [0-4] RADIANT HEAT RESISTANCE
X [0-4] SMALL DROP MOLTEN METAL
X [0-4] LARGE QUANTITY MOLTEN METAL

Technical details

Glove kind	Mechanical glove
Glove family	Knitted coated glove
Mechanical Glove Type	Tricot
Fiber	Xtremcut
Coating Level	Palm Coating
Coating Material	Nitrile
Coating Finish	Grip-textured
Number of Coatings	Single Coated
Gauge	13
Cuff caracteristic	Long cuff
Cuff length (mm)	100
Benefits element	Reach, Vendor pack, Long cuff (>290mm)
Color	Gray-Black
Size	6, 7, 8, 9, 10, 11
Type of conditioning	in individual bag

Packaging

Sale unit: in individual bag
60 pairs /box

Safety gloves

VENICUT F XTREM CUT - VENICUTF01

INTENSE CUT WORK

A6 rated cut-resistant glove ideal for heavy duty work in oily or aqueous environments

Logistics Information

Reference	Color	Size	Designation	EAN13	Box Code			Weight			
GK0601K101GR06 [VECUTF01NO06]	Gray-Black	06	VENICUT F XTREM CUT - VENICUTF01	3295249235826	13295249235823	60	12	4.8 kg	32.2 cm	72.4 cm	16.2 cm
GK0601K101GR07 [VECUTF01NO07]	Gray-Black	07	VENICUT F XTREM CUT - VENICUTF01	3295249235833	13295249235830	60	12	5.1 kg	32.8 cm	72.2 cm	15.2 cm
GK0601K101GR08 [VECUTF01NO08]	Gray-Black	08	VENICUT F XTREM CUT - VENICUTF01	3295249235840	13295249235847	60	12	5.4 kg	32.8 cm	72.2 cm	16.2 cm
GK0601K101GR09 [VECUTF01NO09]	Gray-Black	09	VENICUT F XTREM CUT - VENICUTF01	3295249235857	13295249235854	60	12	6.0 kg	34.6 cm	72.6 cm	16.2 cm
GK0601K101GR10 [VECUTF01NO10]	Gray-Black	10	VENICUT F XTREM CUT - VENICUTF01	3295249235864	13295249235861	60	12	6.5 kg	32.6 cm	72.2 cm	16.6 cm
GK0601K101GR11 [VECUTF01NO11]	Gray-Black	11	VENICUT F XTREM CUT - VENICUTF01	3295249235871	13295249235878	60	12	6.9 kg	32.6 cm	72.4 cm	15.6 cm

Multiple Sales

Minimum Order Quantity

Box Width

Box Depth

Box Height