Hand protection

VENICUTD03

LONG-LASTING CUT WORK

Tactile level D cut-resistant glove combining comfort and finesse of work, ideal in oily or aqueous environments



Certifications and norms

CE CATEGORY II

EN 388
4 X 4 3 D

ANSI/ISEA 105-2024
A4 X X

Protects against risks

Cutting

Wearing

Specific benefits

Easy to use

· Touch screen, so you can use your tablet or smartphone without removing your gloves

Hygiene

· Reduces perspiration thanks to its excellent breathability
· Nitrile means no risk of allergies for users

Performance

· Lightweight for optimal dexterity
· The nitrile coating gives people working in oily/greasy environments an excellent grip on the objects they handle

Compatibility

· Compatible with tactile screens

Technologies & labels

Touch screen

Applications

- **Public works**
- **Building**
- **Finishing works / Craftsmanship**
- **Maintenance**
- **Automotive**
- **Mining**

Hand protection

VENICUTD03

LONG-LASTING CUT WORK

Tactile level D cut-resistant glove combining comfort and finesse of work, ideal in oily or aqueous environments

Standards - Details



EN388:2016+A1:2018
4 [0-4] ABRASION RESISTANCE
X [0-5] CUT RESISTANCE
4 [0-4] TEAR RESISTANCE
3 [0-4] PIERCE RESISTANCE
D [A-F] CUT RESISTANCE ISO 13997

Technical details

Glove kind	Mechanical glove
Glove family	Knitted coated glove
Mechanical glove kind	Knitted
Weft yarn	DELTAnocut (Mix of Polyethylene, Spandex, Polyamide & Carbon)
Coating level	Palm coated
Coating material	Nitrile
Coating finition	Grip-textured
Number of layer	Single layer
Gauge	15
Cuff caracteristic	Long cuff
Cuff length (mm)	100
Benefits element	Touch screen, Reach, Vendor pack, Long cuff (>290mm)
Color	Grey-Black
Size	7, 8, 9, 10
Type of packaging	in individual bag

Packaging

Sale unit: in individual bag
60 pairs /box

VENICUTD03

TRAVAUX COUPANT LONGUE DURÉE

Gants de protection

Gant anticoupure niveau D tactile alliant confort et finesse de travail, idéal en milieu huileux ou aqueux

Informations logistiques

Référence	Couleur	Taille	Désignation	EAN 13	Code carton			Poids			
GK0403K101GR07 [VECUTD03GR07]	Gris-Noir	07	VENICUTD03	3295249196035	13295249196032	60	12	4.8 kg	0.3 m	0.68 m	0.19 m
GK0403K101GR08 [VECUTD03GR08]	Gris-Noir	08	VENICUTD03	3295249196059	13295249196056	60	12	5.0 kg	0.306 m	0.684 m	0.188 m
GK0403K101GR09 [VECUTD03GR09]	Gris-Noir	09	VENICUTD03	3295249196066	13295249196063	60	12	5.5 kg	0.3 m	0.68 m	0.19 m
GK0403K101GR10 [VECUTD03GR10]	Gris-Noir	10	VENICUTD03	3295249196073	13295249196070	60	12	5.6 kg	0.3 m	0.68 m	0.19 m

PCB

SPCB

Box Width

Box Depth

Box Height