



Hand protection

VENICUTB06

SLIGHTLY SHARP AND NON INTENSIVE WORK

Level B cut-resistant glove allowing finesse in work in oily or aqueous environments



Specific benefits



Hygiene

- Reduces perspiration thanks to its excellent breathability
- Nitrile means no risk of allergies for users



Performance

- The nitrile coating gives people working in oily/greasy environments an excellent grip on the objects they handle

Applications

- Public works
- Building
- Finishing works / Craftsmanship
- Maintenance
- Automotive
- Mining

Certifications and norms



EN 388
2 X 3 1 B



ANSI ISEA 105
A2



Hand protection

VENICUTB06

SLIGHTLY SHARP AND NON INTENSIVE WORK

Level B cut-resistant glove allowing finesse in work in oily or aqueous environments

Standards - Details



EN388:2016+A1:2018

2 [0-4] ABRASION RESISTANCE
X [0-5] CUT RESISTANCE
3 [0-4] TEAR RESISTANCE
1 [0-4] PIERCE RESISTANCE
B [A-F] CUT RESISTANCE ISO 13997

Technical details

Glove kind	Mechanical glove
Glove family	Knitted coated glove
Mechanical glove kind	Knitted
Coating material and finition	Smooth nitrile
Coating level	Palm coated
Number of layer	Single layer
Gauge	18
Benefits element	Reach, Vendor pack
Color	Grey
Size	6, 7, 8, 9, 10, 11
Type of packaging	Sold individually



Safety gloves

VENICUTB06

SLIGHTLY SHARP AND NON INTENSIVE WORK

Level B cut-resistant glove allowing finesse in work in oily or aqueous environments

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code	Multiple sales	Minimum sales	Weight
VECUTB06GR06	Grey	06	VENICUTB06	0	0	120	12	6.6 kg
VECUTB06GR07	Grey	07	VENICUTB06	0	0	120	12	6.6 kg
VECUTB06GR08	Grey	08	VENICUTB06	0	0	120	12	7.0 kg
VECUTB06GR09	Grey	09	VENICUTB06	3295249211196	13295249211193	120	12	7.6 kg
VECUTB06GR10	Grey	10	VENICUTB06	3295249211202	13295249211209	120	12	7.9 kg
VECUTB06GR11	Grey	11	VENICUTB06	0	0	120	12	8.0 kg