



Hand protection

VENICUTB05

SLIGHTLY SHARP AND NON INTENSIVE WORK

Level B cut-resistant glove with electrostatic properties, allowing a high degree of finesse in work, ideal in dry conditions



Specific benefits



Durability

- Environmentally-friendly thanks to its solvent-free coating
- Tested before and after washing: performance unchanged



Easy to use

- Tactile, so you can use your tablet or smartphone without removing your gloves



Hygiene

- Silicone-free/latex-free/DMF-free to reduce the risk of allergies without leaving traces on components



Performance

- Lightweight for optimal dexterity
- The high-performance HEATnocut fiber provides resistance to contact heat (100°C for 15 seconds)

Technologies & labels

- Solvent-free

DMF-free



Silicon-free



Applications

- Javna dela
- Stavba
- Second work / craftman
- Vzdrževanje
- Avtomobilska
- Rudarska industrija

Certifications and norms



EN 388
3 X 3 1 B



EN 16350



EN 407
X 1 X X X X

ANSI ISEA 105
A2



Hand protection

VENICUTB05

SLIGHTLY SHARP AND NON INTENSIVE WORK

Level B cut-resistant glove with electrostatic properties, allowing a high degree of finesse in work, ideal in dry conditions

Standards - Details



EN388:2016+A1:2018

3 [0-4] ABRASION RESISTANCE
X [0-5] CUT RESISTANCE
3 [0-4] TEAR RESISTANCE
1 [0-4] PIERCE RESISTANCE
B [A-F] CUT RESISTANCE ISO 13997

Technical details

Glove kind	Mechanical glove
Glove family	Knitted coated glove
Mechanical glove kind	Knitted
Coating material and finition	PU
Coating level	Palm coated
Number of layer	Single layer
Gauge	18
Benefits element	Antistatic, Touch sensitive, Reach, Free latex, Silicone free, DMF free, Vendor pack
Color	Črna
Size	6, 7, 8, 9, 10, 11
Type of packaging	Sold individually



Protección de las manos

VENICUTB05

TRABAJOS LIGERAMENTE CORTANTES DE LARGA DURACIÓN

Guantes resistentes a cortes de nivel B con propiedades electrostáticas y con buena precisión de trabajo, ideales en entornos secos

Información logística

Referencia	Color	Tamaño	Descripción	EAN 13	Código caja	Caja completa	Min. Vta. (múltiplo)	Peso
VECUTB05GR06	Negro	06	VENICUTB05	3295249264222	13295249264229	60	12	4.3 kg
VECUTB05GR07	Negro	07	VENICUTB05	3295249264376	13295249264373	60	12	0.0 kg
VECUTB05GR08	Negro	08	VENICUTB05	3295249264383	13295249264380	60	12	4.8 kg
VECUTB05GR09	Negro	09	VENICUTB05	3295249264390	13295249264397	60	12	5.1 kg
VECUTB05GR10	Negro	10	VENICUTB05	3295249264406	13295249264403	60	12	5.1 kg
VECUTB05GR11	Negro	11	VENICUTB05	3295249264413	13295249264410	60	12	5.5 kg