



Zaštita ruku

VENICUT5X1

DUGOTRAJNI POSLOVI REZANJA

Rukavica otporna na rezanje razine D s prozračnim premazom i vrlo mekim materijalom za intenzivnu i pažljivu upotrebu



Područje upotrebe

- Javni radovi
- Zgrada
- Pomoćni poslovi / Obrtništvo
- Održavanje
- Automobilska
- Rudarska industrija

Certifikati i standardi



EN 388
4 X 4 3 D



A5
4 3

Štiti od



Rezanje



Habanje



Zaštita ruku

VENICUT5X1

DUGOTRAJNI POSLOVI REZANJA

Rukavica otporna na rezanje razine D s prozračnim premazom i vrlo mekim materijalom za intenzivnu i pažljivu upotrebu

Pojedinosti - Standardi



EN388:2016+A1:2018

4 [0-4] OTPORNOST NA ABRAZIJU
X [0-5] OTPORNOST NA POREZOTINE
4 [0-4] TEAR RESISTANCE
3 [0-4] PIERCE RESISTANCE
D [A-F] CUT RESISTANCE ISO 13997

Tehnički detalji

Vrsta rukavica	Posebne rukavice
Asortiman	Pletene rukavice s oblogom
Vrsta mehaničke rukavice	Pletena
Posebna vrsta rukavica	Pleten s dijelom na dlanu od kože
Od tkanine	DELTAAnocut+
Razina premaza	Premaz dlana
Vrsta premaza	Poliuretan (PU)
Završni premaz	Glatko
Broj premaza	Jednoslojni premaz
Debljina	13
Boja	Siva
Veličina	9, 10, 11
Vrsta pakiranja	Prodaje se u pojedinačnim vrećicama

Pakiranje

Prodajna jedinica: Prodaje se u pojedinačnim vrećicama
60 parovi /kutija



Safety gloves

VENICUT5X1

LONG-LASTING CUT WORK

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
GK05X1K101GR09 [VECUT5X1GR09]	Grey	09	VENICUT5X1	0	13295249213203	60	12	8.3 kg	32.4 cm	33.4 cm	48.2 cm
GK05X1K101GR10 [VECUT5X1GR10]	Grey	10	VENICUT5X1	0	0	60	12	8.8 kg	34.0 cm	33.2 cm	48.2 cm
GK05X1K101GR11 [VECUT5X1GR11]	Grey	11	VENICUT5X1	3295249213237	13295249213234	60	12	9.1 kg	33.0 cm	32.6 cm	49.6 cm



Multiple sales



Minimum sales



Box Width



Box Depth



Box Height