



手部防护

VENICUTB00

轻度切割的零散作业

D级防切割手套，无涂层，适用于食品行业



具体优势



耐用性

· 洗涤前后测试：性能不变



易用性

· 完美的贴合性，使用户在长时间使用我们的手套时不会感到手腕部位的任何不适



卫生环保

· 可清洗手套，可重复使用



高性能

· 重量非常轻，使其具备最佳的灵巧性



兼容性

· 适用于食品行业

应用行业

- 公共工程
- 建筑业
- 终饰工程/工艺
- 制造/转化
- 住宿和餐饮服务
- 维修业

标准和认证



防范风险



切割



磨损



enjoy safety.

编辑 21/06/2026
www.deltaplus.com.cn



手部防护

VENICUTB00

轻度切割的零散作业

D级防切割手套，无涂层，适用于食品行业

详细信息 - 标准



EN388:2016+A1:2018

3 [0-4] 耐磨

X [0-5] 防切割

4 [0-4] TEAR RESISTANCE

X [0-4] PIERCE RESISTANCE

B [A-F] CUT RESISTANCE ISO 13997

技术细节

手套类别	机械防护手套
手套类别	针织无涂层手套
机械手套类	针织
纬纱	SOFTnocut (高密度聚乙烯/氨纶/聚酰胺混合料)
针数	15
袖口特征	加长袖口
袖口长度 (mm)	100
产品优势	Reach, 可清洗, 供应商包装, 长袖口 (>290mm)
颜色	蓝色-白色
尺码	6, 7, 8, 9, 10, 11
包装类型	独立包装

包装

销售单位: 独立包装

60 成对/箱

产品护理



清洗 x3 - 60°C

· 平放干燥



Safety gloves

VENICUTB00

SLIGHTLY SHARP AND NON INTENSIVE WORK

Uncoated, level B cut-resistant glove, ideal for the food industry

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
GK0200K101BL06 [VECUTB00BL06]	Blue-White	06	VENICUTB00	3295249255206	13295249255203	60	12	3.5 kg	34.0 cm	18.2 cm	50.0 cm
GK0200K101BL07 [VECUTB00BL07]	Blue-White	07	VENICUTB00	3295249255442	13295249255449	60	12	3.6 kg	33.8 cm	18.8 cm	50.6 cm
GK0200K101BL08 [VECUTB00BL08]	Blue-White	08	VENICUTB00	3295249255459	13295249255456	60	12	3.9 kg	34.0 cm	17.6 cm	50.4 cm
GK0200K101BL09 [VECUTB00BL09]	Blue-White	09	VENICUTB00	3295249255466	13295249255463	60	12	4.0 kg	34.6 cm	17.0 cm	50.6 cm
GK0200K101BL10 [VECUTB00BL10]	Blue-White	10	VENICUTB00	3295249255473	13295249255470	60	12	4.3 kg	18.0 cm	34.6 cm	50.8 cm
GK0200K101BL11 [VECUTB00BL11]	Blue-White	11	VENICUTB00	3295249255480	13295249255487	60	12	4.0 kg	28.0 cm	60.0 cm	15.0 cm



Multiple sales



Minimum sales



Box Width



Box Depth



Box Height