



VENICUT53NO

LONG-LASTING CUT WORK

Hand protection



Aplikacije

- Javna dela
- Stavba
- Second work / craftman
- Vzdrževanje
- Avtomobilska
- Rudarska industrija

Certifikati in norme



Zaščita pred tveganji



Cutting



Wearing



VENICUT53NO

LONG-LASTING CUT WORK

Hand protection

Standardi - podrobnosti



EN388:2016+A1:2018

4 [0-4] ODPORNOST PROTI OBRABI

X [0-5] REZNA UPORNOST

4 [0-4] TEAR RESISTANCE

3 [0-4] PIERCE RESISTANCE

D [A-F] CUT RESISTANCE ISO 13997

Tehnične podrobnosti

Vrsta rokavic	Mehanska rokavica
Družina rokavic	Pletena prevlečena rokavica
Vrsta mehanske rokavice	Pleteno
Preja za votke	DELTAnocut+
Raven premaza	Prevlečena dlan
Premazni material	Nitril
Finalizacija premaza	s teksturiranim oprijemom
Število plasti	Enoslojni
Merilnik	15
Barva	Črna
Velikost	7, 8, 9, 10
Vrsta embalaže	v posameznih vrečkah

Pakiranje

Prodajna enota: v posameznih vrečkah
60 pari /box



VENICUT53NO

LONG-LASTING CUT WORK

Safety gloves

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
GK0553K101BK08 [VECUT53NO08]	Black	08	VENICUT53NO	0	0	60	12	4.9 kg	20.2 cm	30.8 cm	68.4 cm
GK0553K101BK10 [VECUT53NO10]	Black	10	VENICUT53NO	0	0	60	12	5.6 kg	20.0 cm	32.2 cm	68.4 cm



Multiple sales



Minimum sales



Box Width



Box Depth



Box Height