



Hand protection

VENICUT34

SLIGHTLY SHARP AND NON INTENSIVE WORK



Applications

- Public Works
- Building
- Finishing Works/Craftsmanship
- Maintenance
- Automotive
- Mining

Certifications and norms



EN 388
3 X 4 2 B



A2 X X

Risk Protection



Cutting



Wearing



enjoy safety.

Edit 04/10/2026
www.deltaplus-usa.com



VENICUT34

SLIGHTLY SHARP AND NON INTENSIVE WORK

Hand protection

Standards - Details



EN388:2016+A1:2018

3 [0-4] ABRASION RESISTANCE

X [0-5] CUT RESISTANCE

4 [0-4] TEAR RESISTANCE

2 [0-4] PIERCE RESISTANCE

B [A-F] CUT RESISTANCE ISO 13997

Technical details

Glove kind	Mechanical glove
Glove family	Knitted coated glove
Mechanical Glove Type	Tricot
Fiber	Econocut
Coating Level	Palm Coating
Coating Material	PU
Coating Finish	Smooth
Number of Coatings	Single Coated
Gauge	13
Benefits element	Vendor pack
Color	Gray
Size	6, 7, 8, 9, 10, 11
Type of conditioning	Bag of 3

Packaging

Sale unit: Bag of 3

40 pairs /box



Safety gloves

VENICUT34

SLIGHTLY SHARP AND NON INTENSIVE WORK

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
GK0234K301GR06 [VECUT34GRG306]	Grey	06	VENICUT34	0	0	40	4	5.958 kg	27.4 cm	53.4 cm	32.2 cm
GK0234K301GR07 [VECUT34GRG307]	Grey	07	VENICUT34	0	0	40	4	7.0 kg	27.6 cm	36.0 cm	54.6 cm
GK0234K301GR08 [VECUT34GRG308]	Grey	08	VENICUT34	0	0	40	4	7.318 kg	28.2 cm	54.6 cm	33.4 cm
GK0234K301GR11 [VECUT34GRG311]	Grey	11	VENICUT34	0	0	40	4	8.568 kg	30.2 cm	55.4 cm	32.6 cm



Multiple sales



Minimum sales



Box Width



Box Depth



Box Height