



Zaštita ruku

VENICUT32 ESD - VECUT32ESD

NE INTENZIVAN RAD, SA SREDNJE OŠTRIM PREDMETIMA



Područje upotrebe

- Javni radovi
- Zgrada
- Pomoćni poslovi / Obrtništvo
- Održavanje
- Automobilska
- Rudarska industrija

Certifikati i standardi



EN 388
4 X 4 2 B



EN 16350



A2 X X

Štiti od



Antistatic



Rezanje



Habanje



VENICUT32 ESD - VECUT32ESD

NE INTENZIVAN RAD, SA SREDNJE OŠTRIM PREDMETIMA

Zaštita ruku

Pojedinosti - Standardi



EN388:2016+A1:2018

4 [0-4] OTPORNOST NA ABRAZIJU
X [0-5] OTPORNOST NA POREZOTINE
4 [0-4] TEAR RESISTANCE
2 [0-4] PIERCE RESISTANCE
B [A-F] CUT RESISTANCE ISO 13997

Tehnički detalji

Vrsta rukavica	Mehaničke rukavice
Asortiman	Pletene rukavice s oblogom
Vrsta mehaničke rukavice	Pletena
Od tkanine	DELTAnocut (mješavina polietilena, spandeksa, poliamida i ugljika)
Razina premaza	Premaz dlana
Vrsta premaza	Poliuretan (PU)
Završni premaz	Glatko
Broj premaza	Jednoslojni premaz
Debljina	15
Dodatna pogodnost	Disipativna svojstva
Boja	Siva
Veličina	6, 7, 8, 9, 10, 11
Vrsta pakiranja	Prodaje se u pojedinačnim vrećicama

Pakiranje

Prodajna jedinica: Prodaje se u pojedinačnim vrećicama
60 parovi /kutija



Safety gloves

VENICUT32 ESD - VECUT32ESD

SLIGHTLY SHARP AND NON INTENSIVE WORK

Coated knitted glove - DELTAnocut (blend of Polyethylene, Spandex, Polyamide, and Carbon), Carbon - PU - Gauge: 13

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
GKA232K101GR06 [VECUT32ESD06]	Grey	06	VENICUT32 ESD - VECUT32ESD	0	0	60	12	4.3 kg	35.0 cm	16.6 cm	64.4 cm
GKA232K101GR07 [VECUT32ESD07]	Grey	07	VENICUT32 ESD - VECUT32ESD	0	0	60	12	4.4 kg	15.8 cm	34.8 cm	65.2 cm
GKA232K101GR08 [VECUT32ESD08]	Grey	08	VENICUT32 ESD - VECUT32ESD	0	0	60	12	4.6 kg	16.6 cm	34.8 cm	65.2 cm
GKA232K101GR09 [VECUT32ESD09]	Grey	09	VENICUT32 ESD - VECUT32ESD	0	0	60	12	5.0 kg	17.0 cm	35.0 cm	65.0 cm



Multiple sales



Minimum sales



Box Width



Box Depth



Box Height