



VENICUT32 ESD - VECUT32ESD

SLIGHTLY SHARP AND NON INTENSIVE WORK

Hand protection



Applications

- Public Works
- Building
- Finishing Works/Craftsmanship
- Maintenance
- Automotive
- Mining

Certifications and norms



EN 388
4 X 4 2 B



EN 16350

Risk Protection



Antistatic



Cutting



Wearing



VENICUT32 ESD - VECUT32ESD

SLIGHTLY SHARP AND NON INTENSIVE WORK

Hand protection

Standards - Details



EN388:2016+A1:2018

4 [0-4] ABRASION RESISTANCE
X [0-5] CUT RESISTANCE
4 [0-4] TEAR RESISTANCE
2 [0-4] PIERCE RESISTANCE
B [A-F] CUT RESISTANCE ISO 13997

Technical details

Glove kind	Mechanical glove
Glove family	Knitted coated glove
Mechanical Glove Type	Tricot
Coating material and finition	PU
Coating Level	Palm Coating
Number of Coatings	Single Coated
Gauge	15
Benefits element	Antistatic
Color	Gray
Size	6, 7, 8, 9, 10, 11
Type of conditioning	in individual bags








VENICUT32 ESD - VECUT32ESD


SLIGHTLY SHARP AND NON INTENSIVE WORK

Safety gloves

Logistics Information


Reference	Color	Size	Designation	EAN13	Box Code			Weight			
VECUT32ESD06	Gray	06	VENICUT32 ESD - VECUT32ESD	0	0	60	12	4.3 kg	35.0 cm	16.6 cm	64.4 cm
VECUT32ESD07	Gray	07	VENICUT32 ESD - VECUT32ESD	0	0	60	12	4.4 kg	15.8 cm	34.8 cm	65.2 cm
VECUT32ESD08	Gray	08	VENICUT32 ESD - VECUT32ESD	0	0	60	12	4.6 kg	16.6 cm	34.8 cm	65.2 cm
VECUT32ESD09	Gray	09	VENICUT32 ESD - VECUT32ESD	0	0	60	12	5.0 kg	17.0 cm	35.0 cm	65.0 cm
VECUT32ESD10	Gray	10	VENICUT32 ESD - VECUT32ESD	0	0	60	12	5.4 kg	16.6 cm	34.8 cm	64.4 cm

 Multiple Sales

 Minimum Order Quantity

 Box Width

 Box Depth

 Box Height