

NITREX VE803

WORK WITH PROLONGED CHEMICAL RESISTANCE

Chemical glove, combining comfort and durability, ideal for dealing with hydrocarbons

Hand protection



Specific benefits



· High-quality coating extends the life of the glove and provides excellent protection for the hand



· Nitrile means no risk of allergies for users



· The nitrile coating gives people working in oily/greasy environments an excellent grip on the objects they handle

· Extra thick and long for extra protection of the entire arm

Applications

- Public Works
- Building
- Finishing Works/Craftsmanship
- Maintenance
- Chemical Industry
- Automotive

Certifications and norms



EN 388

4011X



EN ISO 374-1 TYPE A



AJKLMNOPT

EN ISO 374-5





Edit 08/05/2024 www.deltaplus-usa.com



NITREX VE803

WORK WITH PROLONGED CHEMICAL RESISTANCE

Hand protection

Chemical glove, combining comfort and durability, ideal for dealing with hydrocarbons

Standards - Details



EN388:2016+A1:2018

4 [0-4] ABRASION RESISTANCE 0 [0-5] CUT RESISTANCE 1 [0-4] TEAR RESISTANCE 1 [0-4] PIERCE RESISTANCE X [A-F] CUT RESISTANCE ISO 13997



EN 374 A : MÉTHANOL

J K L M N O P T

Technical details

Glove kind	Tight glove		
Glove family	Tight glove supported		
Tight glove kind	Supported		
Coating material and finition	Smooth Nitrile		
Coating Level	Full Coating		
Number of Coatings	Single Coated		
Thickness	0,85 mm		
Arm level protection	Forearm cuff (< 400mm)		
Benefits element	Free latex, Silicone free		
Color	Green		
Size	9, 10, 11		
Type of conditioning	in individual bags		



enjoy s



NITREX VE803

WORK WITH PROLONGED CHEMICAL RESISTANCE

Chemical glove, combining comfort and durability, ideal for dealing with

hydrocarbons

Logistics information	n
-----------------------	---

Reference	Colour	Size	Designation	EAN13	Box code	Multiple sales	Minimum sales	Weight
VE803VE09	Green	9/10	NITREX VE803	3295249187699	13295249187696	60	12	6.9 kg
VE803VE10	Green	10/11	NITREX VE803	3295249187705	13295249187702	60	12	7.4 kg



enjoy so

14/05/2024 www.deltaplus.eu