



Hand protection

VE726

WORKS IN OILY ENVIRONMENT

Mechanical glove with good flexibility for working in oily conditions



Specific benefits



Hygiene

· Nitrile means no risk of allergies for users



Performance

· The nitrile coating gives people working in oily/greasy environments an excellent grip on the objects they handle

Applications

- Public Works
- Building
- Finishing Works/Craftsmanship
- Maintenance
- Automotive
- Water and Waste Treatment

Certifications and norms



EN 388
4131A

Risk Protection



Wearing



Hand protection

VE726

WORKS IN OILY ENVIRONMENT

Mechanical glove with good flexibility for working in oily conditions

Standards - Details



EN388:2016+A1:2018

4 [0-4] ABRASION RESISTANCE
1 [0-5] CUT RESISTANCE
3 [0-4] TEAR RESISTANCE
1 [0-4] PIERCE RESISTANCE
A [A-F] CUT RESISTANCE ISO 13997

Technical details

Glove kind	Mechanical glove
Glove family	Knitted coated glove
Mechanical Glove Type	Tricot
Fiber	Polyamide, Spandex
Coating Level	Palm Coating
Coating Material	Aqua Polymer
Coating Finish	Smooth
Number of Coatings	Single Coated
Gauge	15
Color	Gray-Black
Size	7, 8, 9, 10, 11
Type of conditioning	in individual bags








Safety gloves

VE726


WORKS IN OILY ENVIRONMENT

Mechanical glove with good flexibility for working in oily conditions

Logistics Information

Reference	Color	Size	Designation	EAN13	Box Code			Weight			
VE726NO07	Gray-Black	07	VE726	3295249178185	13295249178182	120	12	5.1 kg	29.0 cm	43.0 cm	32.0 cm
VE726NO08	Gray-Black	08	VE726	3295249178192	13295249178199	120	12	5.6 kg	28.8 cm	43.2 cm	32.4 cm
VE726NO09	Gray-Black	09	VE726	3295249178208	13295249178205	120	12	8.5 kg	31.4 cm	70.6 cm	24.4 cm
VE726NO10	Gray-Black	10	VE726	3295249178215	13295249178212	120	12	6.7 kg	29.0 cm	43.2 cm	32.2 cm
VE726NO11	Gray-Black	11	VE726	3295249198022	13295249198029	120	12	7.0 kg	29.4 cm	43.0 cm	33.4 cm

 Multiple Sales

 Minimum Order Quantity

 Box Width

 Box Depth

 Box Height