Hand protection

VE702P

WORKS IN DRY ENVIRONMENT

Mechanical glove ideal for work in dry environments



Certifications and norms

CE CATEGORY II

EN 388
3 1 2 1 X

Risk Protection

Wearing

Specific benefits

Performance

· The anti-slip properties of the polyurethane coating provides good grip.

Applications

- **Public Works**
- **Finishing Works/Craftsmanship**
- **Maintenance**
- **Automotive**
- **Temporary Work**
- **Water and Waste Treatment**

Hand protection

VE702P

WORKS IN DRY ENVIRONMENT

Mechanical glove ideal for work in dry environments

Standards - Details



EN388:2016+A1:2018
3 [0-4] ABRASION RESISTANCE
1 [0-5] CUT RESISTANCE
2 [0-4] TEAR RESISTANCE
1 [0-4] PIERCE RESISTANCE
X [A-F] CUT RESISTANCE ISO 13997

Technical details

Glove kind	Mechanical glove
Glove family	Knitted coated glove
Mechanical Glove Type	Tricot
Fiber	Polyester
Coating Level	Palm Coating
Coating Material	PU
Coating Finish	Smooth
Number of Coatings	Single Coated
Gauge	13
Benefits element	Reach
Color	White
Size	6, 7, 8, 9, 10, 11
Type of conditioning	Bulk bag of 12

Packaging

Sale unit: Bulk bag of 12
240 pairs /box

VE702P

TRABALHOS EM AMBIENTE SECO

Luva mecânica ideal para trabalhos em ambientes secos

Proteção das mãos

Informação logística

Referência	Cor	Tamanho	Designação	EAN 13	Código da caixa			Peso			
GKE702UD01WH06 [VE702P06]	Branco	06	VE702P	3295249128784	13295249128781	240	12	6.67 kg	28.8 cm	44.6 cm	47.6 cm
GKE702UD01WH07 [VE702P07]	Branco	07	VE702P	3295249128791	13295249128798	240	12	7.014 kg	28.8 cm	43.4 cm	48.6 cm
GKE702UD01WH08 [VE702P08]	Branco	08	VE702P	3295249128807	13295249128804	240	12	7.2 kg	42.0 cm	28.0 cm	46.0 cm
GKE702UD01WH09 [VE702P09]	Branco	09	VE702P	3295249128814	13295249128811	240	12	7.77 kg	28.8 cm	45.2 cm	48.4 cm
GKE702UD01WH10 [VE702P10]	Branco	10	VE702P	3295249128821	13295249128828	240	12	7.7 kg	28.6 cm	42.0 cm	48.6 cm
GKE702UD01WH11 [VE702P11]	Branco	11	VE702P	3295249251970	13295249251977	240	12	8.6 kg	28.6 cm	47.8 cm	46.4 cm

Caixa completa

Mínimo venda

Largura da caixa

Profundidade da caixa

Altura da caixa