



Hand protection

VE702P

WORKS IN DRY ENVIRONMENT

Mechanical glove ideal for work in dry environments



Specific benefits



Performance

· The anti-slip properties of the polyurethane coating provides good grip.

Applications

- **Public Works**
- **Finishing Works/Craftsmanship**
- **Maintenance**
- **Automotive**
- **Temporary Work**
- **Water and Waste Treatment**

Certifications and norms



EN 388
3 1 2 1 X

Risk Protection



Wearing



enjoy safety.

Edit 10/03/2026
www.deltaplus-usa.com



Hand protection

VE702P

WORKS IN DRY ENVIRONMENT

Mechanical glove ideal for work in dry environments

Standards - Details



EN388:2016+A1:2018

3 [0-4] ABRASION RESISTANCE
1 [0-5] CUT RESISTANCE
2 [0-4] TEAR RESISTANCE
1 [0-4] PIERCE RESISTANCE
X [A-F] CUT RESISTANCE ISO 13997

Technical details

Glove kind	Mechanical glove
Glove family	Knitted coated glove
Mechanical Glove Type	Tricot
Fiber	Polyester
Coating Level	Palm Coating
Coating Material	PU
Coating Finish	Smooth
Number of Coatings	Single Coated
Gauge	13
Benefits element	Reach
Color	White
Size	6, 7, 8, 9, 10, 11
Type of conditioning	Bulk bag of 12








Safety gloves

VE702P

WORKS IN DRY ENVIRONMENT

Mechanical glove ideal for work in dry environments

Logistics Information

Reference	Color	Size	Designation	EAN13	Box Code			Weight			
VE702P06	White	06	VE702P	3295249128784	13295249128781	240	12	6.67 kg	28.8 cm	44.6 cm	47.6 cm
VE702P07	White	07	VE702P	3295249128791	13295249128798	240	12	7.014 kg	28.8 cm	43.4 cm	48.6 cm
VE702P08	White	08	VE702P	3295249128807	13295249128804	240	12	7.2 kg	42.0 cm	28.0 cm	46.0 cm
VE702P09	White	09	VE702P	3295249128814	13295249128811	240	12	7.77 kg	28.8 cm	45.2 cm	48.4 cm
VE702P10	White	10	VE702P	3295249128821	13295249128828	240	12	7.7 kg	28.6 cm	42.0 cm	48.6 cm
VE702P11	White	11	VE702P	3295249251970	13295249251977	240	12	8.6 kg	28.6 cm	47.8 cm	46.4 cm



Multiple Sales



Minimum Order Quantity



Box Width



Box Depth



Box Height