

VE511 WORK WITH PROLONGED CHEMICAL RESISTANCE

Hand protection

Chemical glove, protecting the forearm, offering comfort with its knitted fabric and providing a good grip on the handled objects, for all types of applications.



Specific benefits



 \cdot High-quality coating extends the life of the glove and provides excellent protection for the hand



· Latex-free to reduce the risk of allergies



 \cdot Extra thick and long for extra protection of the entire arm

Applications

- Public Works
- Building
- Maintenance
- Chemical Industry
- Automotive
- Oil & Gas (Extraction)





EN 388

2132X



EN ISO 374-1 TYPE A



AJKLMNOPT

EN ISO 374-5





Edit 10/05/2024 www.deltaplus-usa.com



VE511 WORK WITH PROLONGED CHEMICAL RESISTANCE

Hand protection

Chemical glove, protecting the forearm, offering comfort with its knitted fabric and providing a good grip on the handled objects, for all types of applications.

Standards - Details



EN388:2016+A1:2018

2 [0-4] ABRASION RESISTANCE 1 [0-5] CUT RESISTANCE 3 [0-4] TEAR RESISTANCE 2 [0-4] PIERCE RESISTANCE X [A-F] CUT RESISTANCE ISO 13997



EN 374 A : MÉTHANOL

JKLMNOPT

Technical details

Glove kind	Tight glove		
Glove family	Tight glove supported		
Tight glove kind	Supported		
Coating material and finition	Neoprene smooth		
Coating Level	Full Coating		
Number of Coatings	Single Coated		
Thickness	1,40 mm		
Gauge	10		
Arm level protection	Forearm cuff (< 400mm)		
Benefits element	Free latex		
Color	Black		
Size	9, 10, 11		
Type of conditioning	Sold by Unit		



enjoy s



VE511

WORK WITH PROLONGED CHEMICAL RESISTANCE

Chemical glove, protecting the forearm, offering comfort with its knitted fabric and providing a good grip on the handled objects, for all types of applications.

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code	Multiple sales	Minimum sales	Weight
VE511NO09	Black	9/10	VE511	3295249187675	13295249187672	60	12	14.3 kg
VE511NO10	Black	10/11	VE511	3295249187682	13295249187689	60	12	16.6 kg



enjoy so

14/05/2024 www.deltaplus.eu