

# VENIPRO VE450

Thick chemical glove, ideal for heavy handling

WORK WITH PROLONGED CHEMICAL RESISTANCE

Hand protection



## **Certifications and norms**



### EN 388

3121X



### EN ISO 374-1

TYPE A AKLMNOPT







 $\cdot$  High-quality coating extends the life of the glove and provides excellent protection for the hand



· Lightweight for optimal dexterity

## **Applications**

- Public Works
- Building
- Maintenance
- Chemical Industry
- Oil & Gas (Extraction)
- Mining



enjoy s



## **VENIPRO VE450**

WORK WITH PROLONGED CHEMICAL RESISTANCE

Hand protection

#### Thick chemical glove, ideal for heavy handling

## **Standards - Details**



#### EN388:2016+A1:2018

3 [0-4] ABRASION RESISTANCE 1 [0-5] CUT RESISTANCE 2 [0-4] TEAR RESISTANCE 1 [0-4] PIERCE RESISTANCE X [A-F] CUT RESISTANCE ISO 13997



**EN 374** A : MÉTHANOL

L M N O P T

Κ

## **Technical details**

Glove kind	Tight glove
Glove family	Tight glove unsupported flocked
Tight glove kind	Unsupported
Inner finition	Flocked
Coating material and finition	Latex pattern
Coating Level	Full Coating
Number of Coatings	Single Coated
Thickness	1 mm
Arm level protection	Forearm cuff (< 400mm)
Benefits element	Vendor pack
Color	Orange
Size	8, 9, 10, 11
Type of conditioning	Sold by Unit



enjoy s



## **VENIPRO VE450**

WORK WITH PROLONGED CHEMICAL RESISTANCE

Thick chemical glove, ideal for heavy handling

#### Safety gloves

Logistics information										
Reference	Colour	Size	Designation	EAN13	Box code	Multiple sales	Minimum sales	Weight		
VE450OR09	Orange	9/10	VENIPRO VE450	3295249011949	13295249011946	120	12	20.9 kg		



enjoy so

13/05/2024 www.deltaplus.eu