手部防护

VENIPRO VE450

长期耐化学风险作业

厚实的化学手套，适合重物搬运

具体优势

耐用性

· 高质量的涂层延长了手套的使用寿命，并为手部提供了卓越的保护

高性能

· 重量非常轻，使其具备最佳的灵巧性

应用行业

- 公共工程
- 建筑业
- 维修业
- 化工业
- 石油和天然气 (开采)
- 采矿

标准和认证

CE 3类

EN 388
3 1 2 1 X

EN ISO 374-1
种类 A
AKLMNOPT

EN ISO 374-5

防范风险

生物　磨损　化学　微粒

手部防护

VENIPRO VE450

长期耐化学风险作业

厚实的化学手套，适合重物搬运

详细信息 - 标准

EN388:2016+A1:2018
3 [0-4] 耐磨
1 [0-5] 防切割
2 [0-4] TEAR RESISTANCE
1 [0-4] PIERCE RESISTANCE
X [A-F] CUT RESISTANCE ISO 13997

EN 374
A : MÉTHANOL
K
L
M
N
O
P
T

技术细节

手套类别	贴手的手套
手套类别	无粉无基布紧手套
贴手的手套类别	无支撑
涂层水平	全涂层
涂层材质	乳胶
涂层饰面	抓纹涂层
涂层数	单涂层
内部处理	植绒
厚度 (mm)	1
手臂保护	前臂袖口 (< 400mm)
产品优势	供应商包装
颜色	橙色
尺码	8, 9, 10, 11
包装类型	独立包装

包装

销售单位: 独立包装
120 成对/箱

VENIPRO VE450

长期耐化学风险作业

手部防护

厚实的化学手套，适合重物搬运

渗透表

化学品	信件	CAS #	渗透水平	渗透时间（分钟）	中等退化
Methanol	A	67-56-1	6	480	-8.2%
Sodium Hydroxyde 40%	K	1310-73-2	6	480	-14.4%
Acide Sulfurique 96%	L	7664-93-9	5	240	27.9%
Nitric Acid 65%	M	7697-37-2	6	480	17.6%
Acetic Acid 99%	N	64-19-7	4	120	15.7%
Hydroxyde d’ammonium 25%	O	1336-21-6	3	60	-34.1%
Peroxyde d’Hydrogène 30%	P	7722-84-1	6	480	7.0%
Formaldehyde 37%	T	50-00-0	6	480	-5.1%

Safety gloves

VENIPRO VE450

WORK WITH PROLONGED CHEMICAL RESISTANCE

Thick chemical glove, ideal for heavy handling

Logistics Information

Reference	Color	Size	Designation	EAN13	Box Code			Weight			
GWE450C101OR 10 [VE450OR09]	Orange	9/10	VENIPRO VE450	3295249011949	13295249011946	120	12	20.9 kg	33.0 cm	61.0 cm	34.0 cm

Multiple Sales

Minimum Order Quantity

Box Width

Box Depth

Box Height