



Hand protection

PVCC600

WORK WITH PROLONGED CHEMICAL RESISTANCE

Chemical glove protecting the entire arm from oils and hydrocarbons in prolonged use



Specific benefits



Performance

- Extra thick and long for extra protection of the entire arm

Applications

- Building
- Maintenance
- Chemical Industry
- Oil & Gas (Extraction)
- Mining
- Petrochemical

Certifications and norms



EN 388
4 1 3 1 X



EN ISO 374-1
TYPE B
AKL



EN ISO 374-5



Hand protection

PVCC600

WORK WITH PROLONGED CHEMICAL RESISTANCE

Chemical glove protecting the entire arm from oils and hydrocarbons in prolonged use

Standards - Details



EN388:2016+A1:2018

4 [0-4] ABRASION RESISTANCE
1 [0-5] CUT RESISTANCE
3 [0-4] TEAR RESISTANCE
1 [0-4] PIERCE RESISTANCE
X [A-F] CUT RESISTANCE ISO 13997



EN 374

A : MÉTHANOL
K
L

Technical details

Glove kind	Tight glove
Glove family	Tight glove supported
Tight glove kind	Supported
Coating material and finition	pvc smooth
Coating Level	Full Coating
Number of Coatings	Single Coated
Thickness	1,20 mm
Arm level protection	Shoulder cuff (> 500mm)
Benefits element	Reach, Long cuff (>290mm)
Color	Red
Size	10
Type of conditioning	Sold by Unit



Safety gloves

PVCC600

WORK WITH PROLONGED CHEMICAL RESISTANCE

Chemical glove protecting the entire arm from oils and hydrocarbons in prolonged use

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code	Multiple sales	Minimum sales	Weight
PVCC60010	Red	10	PVCC600	3295249134402	13295249134409	60	6	29.85 kg