



手部防护

PVCC600

长期耐化学风险作业

防化手套，提供完整手臂保护，防止长时间使用时油和碳氢化合物的伤害



具体优势



高性能

· 额外加厚加长设计，提供全臂防护

应用行业

- 建筑业
- 维修业
- 化工业
- 石油和天然气 (开采)
- 采矿
- 石油化工

标准和认证



EN 388
4 1 3 1 X



EN ISO 374-1
种类 B
AKL



EN ISO 374-5

防范风险



生物



磨损



化学



微粒



手部防护

PVCC600

长期耐化学风险作业

防化手套，提供完整手臂保护，防止长时间使用时油和碳氢化合物的伤害

详细信息 - 标准



EN388:2016+A1:2018

4 [0-4] 耐磨
1 [0-5] 防切割
3 [0-4] TEAR RESISTANCE
1 [0-4] PIERCE RESISTANCE
X [A-F] CUT RESISTANCE ISO 13997



EN 374

A : MÉTHANOL
K
L

技术细节

手套类别	贴手的手套
手套类别	带基布衬里的紧手套
贴手的手套类别	有支撑
涂层水平	全涂层
涂层材质	PVC
涂层饰面	光滑涂层
涂层数	单涂层
内衬材质	合成面料
厚度 (mm)	1,20
手臂保护	肩部袖口 (> 500mm)
产品优势	Reach, 长袖口 (>290mm)
颜色	红色
尺码	10
包装类型	每袋 6 个

包装

销售单位: 每袋 6 个

60 成对/箱



手部防护

PVCC600

长期耐化学风险作业

防化手套，提供完整手臂保护，防止长时间使用时油和碳氢化合物的伤害

渗透表

化学品	信件	CAS #	渗透水平	渗透时间（分钟）	中等退化
Methanol	A	67-56-1	3	60	-13.3%
Sodium Hydroxyde 40%	K	1310-73-2	6	480	8.8%
Acide Sulfurique 96%	L	7664-93-9	4	120	20.8%



Safety gloves

PVCC600

WORK WITH PROLONGED CHEMICAL RESISTANCE

Chemical glove protecting the entire arm from oils and hydrocarbons in prolonged use

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
GWP600C601RE 10 [PVCC60010]	Red	10	PVCC600	3295249134402	13295249134409	60	6	29.85 kg	61.0 cm	21.0 cm	58.0 cm



Multiple sales



Minimum sales



Box Width



Box Depth



Box Height