



Hand protection

NI015

WORKS IN OILY ENVIRONMENT

Mechanical glove, waterproof up to the mid-back and lightweight for long wearing periods



Specific benefits



Durability

· High-quality coating extends the life of the glove and provides excellent protection for the hand



Hygiene

· Nitrile means no risk of allergies for users



Performance

· The nitrile coating gives people working in oily/greasy environments an excellent grip on the objects they handle

Certifications and norms



EN 388
2111X

Applications

- **Finishing works / Craftsmanship**
- **Maintenance**
- **Automotive**
- **Cleanliness**
- **Temporary work**
- **Public services**



Hand protection

NI015

WORKS IN OILY ENVIRONMENT

Mechanical glove, waterproof up to the mid-back and lightweight for long wearing periods

Standards - Details



EN388:2016+A1:2018

2 [0-4] ABRASION RESISTANCE
1 [0-5] CUT RESISTANCE
1 [0-4] TEAR RESISTANCE
1 [0-4] PIERCE RESISTANCE
X [A-F] CUT RESISTANCE ISO 13997

Technical details

Glove kind	Mechanical glove
Glove family	Cut and sewn textile coated glove
Mechanical glove kind	Cut and sewn
Coating material and finition	Nitrile pattern
Coating level	3/4 Coated
Number of layer	Single layer
Cuff caracteristic	Added knitted cuff
Color	Yellow
Size	7, 8, 9, 10, 11
Type of packaging	Pack of 12



Gants de protection

NI015

TRAVAUX MILIEU HUILEUX ET GRAISSEUX

Gant mécanique, étanche jusqu'au mi-dos et doté d'une légèreté qui facilite les ports de longue durée

Informations logistiques

Référence	Couleur	Taille	Désignation	EAN 13	Code carton	PCB	SPCB	Poids
NI01507	Jaune	07	NI015	3295249010737	13295249010734	120	12	6.1 kg
NI01508	Jaune	08	NI015	3295249024307	13295249024304	120	12	6.4 kg
NI01509	Jaune	09	NI015	3295249018818	13295249018815	120	12	7.0 kg
NI01510	Jaune	10	NI015	3295249010744	13295249010741	120	12	7.6 kg
NI01511	Jaune	11	NI015	3295249046989	13295249046986	120	12	7.0 kg