

## LAT50

#### **WORK WITH PROLONGED CHEMICAL RESISTANCE**

Very comfortable multi-standard chemical glove with a very rough palm for excellent grip when handling acids



## **Certifications and norms**





EN 388

3121X



**EN ISO 374-1** 

TYPE A AKLMNPT



**EN ISO 374-5** 



**EN 407**×1××××

## **Specific benefits**



#### **Durability**

 $\cdot$  High-quality coating extends the life of the glove and provides excellent protection for the hand



#### **Performance**

 $\cdot$  Extra thick and long for extra protection of the entire arm

# **Applications**

- Agriculture
- Public works
- Building
- Finishing works / Craftsmanship
- Manufacturing/Transformation
- Maintenance







# LAT50

#### **WORK WITH PROLONGED CHEMICAL RESISTANCE**

Very comfortable multi-standard chemical glove with a very rough palm for excellent grip when handling acids

### **Standards - Details**



#### EN388:2016+A1:2018

3 [0-4] ABRASION RESISTANCE 1 [0-5] CUT RESISTANCE 2 [0-4] TEAR RESISTANCE 1 [0-4] PIERCE RESISTANCE X [A-F] CUT RESISTANCE ISO 13997



#### **EN 374**

A: MÉTHANOL K L M N P

#### **Technical details**

Glove kind	Tight glove		
Glove family	Tight glove supported		
Tight glove kind	Supported		
Coating material and finition	Latex grip textured		
Coating level	Fully coated		
Number of layer	Single layer		
Thickness	1,80 mm		
Arm level protection	Forearm cuff (< 400mm)		
Benefits element	Vendor pack		
Color	Green		
Size	7, 8, 9, 10, 11		
Type of packaging	Sold individually		





# LAT50

## WORK WITH PROLONGED CHEMICAL RESISTANCE

Very comfortable multi-standard chemical glove with a very rough palm for excellent grip when handling acids

Logistics information									
Reference	Colour	Size	Designation	EAN13	Box code	Multiple sales	Minimum sales	Weight	
LAT5009	Green	9/10	LAT50	3295249017521	13295249017528	120	12	24.5 kg	



