



Zaštita ruku

KCA15

MANIPULACIJA VRUĆIM PREDMETIMA

Termička rukavica za obje ruke, razina D protiv posjekotina, kombinira toplinsku otpornost, povećanu izdržljivost i precizno rukovanje, idealna u vrućim okruženjima



Prednosti



Jednostavna upotreba

· Korisnici ne osjećaju nelagodu na zapešćima kada ih koriste dulje vrijeme



Performanse

· Otpornost na kontaktnu toplinu (250 °C tijekom 15 sekundi) zahvaljujući vlaknima HEATnocut visokih performansi

Područje upotrebe

- Javni radovi
- Zgrada
- Pomoćni poslovi / Obrtništvo
- Održavanje
- Automobilska

Certifikati i standardi



EN 388
1 X 4 X D



EN 407
4 2 X X X X

Štiti od



Toplina



Rezanje



Zaštita ruku

KCA15

MANIPULACIJA VRUĆIM PREDMETIMA

Termička rukavica za obje ruke, razina D protiv posjekotina, kombinira toplinsku otpornost, povećanu izdržljivost i precizno rukovanje, idealna u vrućim okruženjima

Pojedinosti - Standardi



EN388:2016+A1:2018

1 [0-4] OTPORNOST NA ABRAZIJU
X [0-5] OTPORNOST NA POREZOTINE
4 [0-4] TEAR RESISTANCE
X [0-4] PIERCE RESISTANCE
D [A-F] CUT RESISTANCE ISO 13997



EN 407

TOPLINSKI RIZICI (X = NIJE TESTIRANO)
4 [0-4] PONAŠANJE PRI GORENJU
2 [0-4] CONTACT HEAT RESISTANCE
X [0-4] CONVECTIVE HEAT
X [0-4] RADIANT HEAT RESISTANCE
X [0-4] SMALL DROP MOLTEN METAL
X [0-4] LARGE QUANTITY MOLTEN METAL

Tehnički detalji

Vrsta rukavica	Mehaničke rukavice
Asortiman	Pletene rukavice bez obloge
Vrsta mehaničke rukavice	Pletena
Debljina (mm)	1,2 -> 1,4
Debljina	7
Osnovne značajke manžete	Kožna manžeta
Dužina manšete (mm)	150
Dodatna pogodnost	Para-aramidni šavovi
Boja	Žuta-Boja hrđe
Veličina	9
Vrsta pakiranja	Prodaje se u pojedinačnim vrećicama

Pakiranje

Prodajna jedinica: Prodaje se u pojedinačnim vrećicama
36 parovi /kutija



Safety gloves

KCA15

THERMAL HOT WORKS

Level D cut-resistant thermal glove, combining thermal resistance, increased durability and finesse, ideal for use in hot environments

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
GKKCA5K101YE09 [KCA1509]	Yellow-Rust	09	KCA15	3295249037727	13295249037724	36	6	10.0 kg	65.0 cm	40.0 cm	24.5 cm



Multiple sales



Minimum sales



Box Width



Box Depth



Box Height