



Hand protection

KCA15

THERMAL HOT WORKS

Level D cut-resistant thermal glove, combining thermal resistance, increased durability and finesse, ideal for use in hot environments



Specific benefits



Easy to use

· Perfect fit so that users do not feel any discomfort in the wrist area with prolonged use



Performance

· The high-performance HEATnocut fiber provides resistance to contact heat (250° for 15 seconds)

Applications

- Public Works
- Building
- Finishing Works/Craftsmanship
- Maintenance
- Automotive

Certifications and norms



EN 388
1 X 4 X D



EN 407
4 2 X X X X

Risk Protection



Heat



Cutting



enjoy safety.



Hand protection

KCA15

THERMAL HOT WORKS

Level D cut-resistant thermal glove, combining thermal resistance, increased durability and finesse, ideal for use in hot environments

Standards - Details



EN388:2016+A1:2018

1 [0-4] ABRASION RESISTANCE
X [0-5] CUT RESISTANCE
4 [0-4] TEAR RESISTANCE
X [0-4] PIERCE RESISTANCE
D [A-F] CUT RESISTANCE ISO 13997

Technical details

Glove kind	Mechanical glove
Glove family	Knitted uncoated glove
Mechanical Glove Type	Tricot
Thickness (mm)	1,2 -> 1,4
Gauge	7
Cuff characteristic	Leather cuff
Cuff length (mm)	150
Color	Yellow-Rust
Size	9
Type of conditioning	in individual bags








Safety gloves

KCA15

THERMAL HOT WORKS

Level D cut-resistant thermal glove, combining thermal resistance, increased durability and finesse, ideal for use in hot environments

Logistics Information

Reference	Color	Size	Designation	EAN13	Box Code			Weight			
KCA1509	Yellow-Rust	09	KCA15	3295249037727	13295249037724	36	6	10.0 kg	65.0 cm	40.0 cm	24.5 cm



Multiple Sales



Minimum Order Quantity



Box Width



Box Depth



Box Height