

LA600 WORK WITH PROLONGED CHEMICAL RESISTANCE

Multi-standard chemical glove, protecting the entire arm with its length, ideal for handling acids

Hand protection



Specific benefits



· High-quality coating extends the life of the glove and provides excellent protection for the hand



· Chlorinated interior for easy glove donning



Performance

 \cdot Extra thick and long for extra protection of the entire arm

Applications

- Agriculture
- Public Works
- Building
- Manufacturing/Transformation
- Maintenance
- Chemical Industry





EN 388

4121X



EN ISO 374-1

TYPE A AKLMNOPT



EN ISO 374-5



EN 407 X1XXXX



Edit 02/05/2024 www.deltaplus-usa.com





LA600 WORK WITH PROLONGED CHEMICAL RESISTANCE

Hand protection

Multi-standard chemical glove, protecting the entire arm with its length, ideal for handling acids

Standards - Details



EN388:2016+A1:2018

4 [0-4] ABRASION RESISTANCE 1 [0-5] CUT RESISTANCE 2 [0-4] TEAR RESISTANCE 1 [0-4] PIERCE RESISTANCE X [A-F] CUT RESISTANCE ISO 13997



EN 374 A : MÉTHANOL

L M N O P T

Κ

Technical details

Glove kind	Tight glove
Glove family	Tight glove unsupported powder free
Tight glove kind	Unsupported
Inner finition	Powder free
Coating material and finition	Smooth Latex
Coating Level	Full Coating
Number of Coatings	Single Coated
Thickness	1,15 mm
Arm level protection	Shoulder cuff (> 500mm)
Color	Black
Size	10, 11
Type of conditioning	Sold by Unit



enjoy s



LA600

WORK WITH PROLONGED CHEMICAL RESISTANCE

Multi-standard chemical glove, protecting the entire arm with its length, ideal for handling acids

Logistics information Multiple Minimum sales Colour Designation EAN13 Box code Reference Size Weight LA60010 Black 10/11 LA600 13295249008335 3295249008338 36 1 16.3 kg



enjoy s

21/05/2024 www.deltaplus.eu