



Hand protection

LAT50

WORK WITH PROLONGED CHEMICAL RESISTANCE

Very comfortable multi-standard chemical glove with a very rough palm for excellent grip when handling acids



Specific benefits



Durability

· High-quality coating extends the life of the glove and provides excellent protection for the hand



Performance

· Extra thick and long for extra protection of the entire arm

Applications

- Kmetijstvo
- Javna dela
- Stavba
- Second work / craftman
- Proizvodnja / Predelava
- Vzdrževanje

Certifications and norms



EN 388
3 1 2 1 X



EN ISO 374-1
TYPE A
AKLMNPT



EN ISO 374-5



EN 407
X 1 X X X X



Hand protection

LAT50

WORK WITH PROLONGED CHEMICAL RESISTANCE

Very comfortable multi-standard chemical glove with a very rough palm for excellent grip when handling acids

Standards - Details



EN388:2016+A1:2018

3 [0-4] ABRASION RESISTANCE
1 [0-5] CUT RESISTANCE
2 [0-4] TEAR RESISTANCE
1 [0-4] PIERCE RESISTANCE
X [A-F] CUT RESISTANCE ISO 13997



EN 374

A : MÉTHANOL
K
L
M
N
P
T

Technical details

Glove kind	Tight glove
Glove family	Tight glove supported
Tight glove kind	Supported
Coating material and finition	Latex grip textured
Coating level	Fully coated
Number of layer	Single layer
Thickness	1,80 mm
Arm level protection	Forearm cuff (< 400mm)
Benefits element	Vendor pack
Color	Zelena
Size	7, 8, 9, 10, 11
Type of packaging	Sold individually



Safety gloves

LAT50

WORK WITH PROLONGED CHEMICAL RESISTANCE

Very comfortable multi-standard chemical glove with a very rough palm for excellent grip when handling acids

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code	Multiple sales	Minimum sales	Weight
LAT5009	Green	9/10	LAT50	3295249017521	13295249017528	120	12	24.5 kg