Hand protection

FBN49

WORKS IN DRY ENVIRONMENT

Mechanical leather glove, the American cut prevents the seams from being uncomfortable on the underside of the hand



Applications

- **Public Works**
- **Building**
- **Finishing Works/Craftsmanship**
- **Maintenance**
- **Automotive**
- **Temporary Work**

Certifications and norms

CE CATEGORY II

EN 388
3 1 2 2 X

Risk Protection

Wearing

Hand protection

FBN49

WORKS IN DRY ENVIRONMENT

Mechanical leather glove, the American cut prevents the seams from being uncomfortable on the underside of the hand

Standards - Details

EN388:2016+A1:2018
3 [0-4] ABRASION RESISTANCE
1 [0-5] CUT RESISTANCE
2 [0-4] TEAR RESISTANCE
2 [0-4] PIERCE RESISTANCE
X [A-F] CUT RESISTANCE ISO 13997

Technical details

Glove kind	Mechanical glove
Glove family	Cut and sewn leather palm / leather back
Mechanical Glove Type	Cut Sewn
Thickness (mm)	0,9 -> 1,1
Cuff caracteristic	Sewn open cuff with elastic
Color	Natural
Size	7, 8, 9, 10, 11
Type of conditioning	Bulk bag of 12

Packaging

Sale unit: Bulk bag of 12
120 pairs /box

FBN49

TRABALHOS EM AMBIENTE SECO

Proteção das mãos

Luva mecânica em couro, o corte americano evita que as costuras irritantes fiquem na parte inferior da mão

Informação logística

Referência	Cor	Tamanho	Designação	EAN 13	Código da caixa			Peso			
GLFBN4UD01NA07 [FBN4907]	Natural	07	FBN49	3295249158477	13295249158474	120	12	12.0 kg	0.306 m	0.604 m	0.274 m
GLFBN4UD01NA08 [FBN4908]	Natural	08	FBN49	3295249039820	13295249039827	120	12	13.5 kg	30.6 cm	60.2 cm	30.6 cm
GLFBN4UD01NA09 [FBN4909]	Natural	09	FBN49	3295249018009	13295249018006	120	12	15.2 kg	28.0 cm	64.0 cm	31.8 cm
GLFBN4UD01NA10 [FBN4910]	Natural	10	FBN49	3295249018016	13295249018013	120	12	15.4 kg	30.0 cm	64.2 cm	31.4 cm
GLFBN4UD01NA11 [FBN4911]	Natural	11	FBN49	3295249039837	13295249039834	120	12	20.7 kg	29.4 cm	63.8 cm	33.8 cm

Caixa completa

Mínimo venda

Largura da caixa

Profundidade da caixa

Altura da caixa