



手部防护

LAT50

长期耐化学风险作业

非常舒适的多标准化学手套，手掌非常粗糙，在处理酸性物质时具有极佳的抓握力



具体优势

耐用性

· 高质量的涂层延长了手套的使用寿命，并为手部提供了卓越的保护

高性能

· 额外加厚加长设计，提供全臂防护

应用行业

- 农业
- 公共工程
- 建筑业
- 终饰工程/工艺
- 制造/转化
- 维修业

标准和认证



EN 388
3 1 2 1 X



EN ISO 374-1
种类 A
AKLMNPT



EN ISO 374-5



EN 511
X
1
X



EN 407
X 1 X X X X

防范风险



高温



生物



磨损



化学



enjoy safety.



手部防护

LAT50

长期耐化学风险作业

非常舒适的多标准化学手套，手掌非常粗糙，在处理酸性物质时具有极佳的抓握力

详细信息 - 标准



EN388:2016+A1:2018

3 [0-4] 耐磨
1 [0-5] 防切割
2 [0-4] TEAR RESISTANCE
1 [0-4] PIERCE RESISTANCE
X [A-F] CUT RESISTANCE ISO 13997



EN 374

A : MÉTHANOL
K
L
M
N
P
T



EN 407

X [0-4] 燃烧性能
1 [0-4] CONTACT HEAT RESISTANCE
X [0-4] CONVECTIVE HEAT
X [0-4] RADIANT HEAT RESISTANCE
X [0-4] SMALL DROP MOLTEN METAL
X [0-4] LARGE QUANTITY MOLTEN METAL

技术细节

手套类别	特殊手套
手套类别	带基布衬里的紧手套
贴手的手套类别	有支撑
特殊手套类型	防寒
涂层水平	全涂层
涂层材质	乳胶
涂层饰面	抓纹涂层
涂层数	单涂层
内衬材质	棉布
厚度 (mm)	1,80
手臂保护	前臂袖口 (< 400mm)
袖口特征	直筒袖口
产品优势	供应商包装
颜色	绿色
尺码	7, 8, 9, 10, 11
包装类型	独立包装








Safety gloves

LAT50

WORK WITH PROLONGED CHEMICAL RESISTANCE

Very comfortable multi-standard chemical glove with a very rough palm for excellent grip when handling acids

Logistics Information

Reference	Color	Size	Designation	EAN13	Box Code			Weight			
GWL050C101GN 10 [LAT5009]	Green	9/10	LAT50	3295249017521	13295249017528	120	12	24.5 kg	49.0 cm	31.0 cm	64.0 cm



Multiple Sales



Minimum Order Quantity



Box Width



Box Depth



Box Height