



Hand protection

# DS202RP

WORKS IN DRY ENVIRONMENT

Docker's mechanical glove with palm, thumb and index finger reinforcement, offering full hand protection



## Applications

- Public works
- Building
- Maintenance
- Temporary work
- Water and waste treatment
- Storage

## Certifications and norms



EN 388  
4 2 2 3 X

## Protects against risks



Wearing



Perforation



Hand protection

# DS202RP

WORKS IN DRY ENVIRONMENT

Docker's mechanical glove with palm, thumb and index finger reinforcement, offering full hand protection

## Standards - Details



### EN388:2016+A1:2018

4 [0-4] ABRASION RESISTANCE  
2 [0-5] CUT RESISTANCE  
2 [0-4] TEAR RESISTANCE  
3 [0-4] PIERCE RESISTANCE  
X [A-F] CUT RESISTANCE ISO 13997

## Technical details

Glove kind	Mechanical glove
Glove family	Cut and sewn leather palm / textile back
Mechanical glove kind	Cut and sewn
Lining material	Leather, Cotton Textile
Thickness (mm)	0,9 -> 1,1
Cuff characteristic	Large safety cuff
Color	Grey-Blue
Size	10
Type of packaging	Bulk bag of 12








Safety gloves

# DS202RP

## WORKS IN DRY ENVIRONMENT

Docker's mechanical glove with palm, thumb and index finger reinforcement, offering full hand protection

### Logistics Information

Reference	Color	Size	Designation	EAN13	Box Code			Weight			
DS202RP10	Grey-Blue	10	DS202RP	3295249012908	13295249012905	120	12	27.12 kg	44.0 cm	28.0 cm	68.0 cm



Multiple Sales



Minimum Order Quantity



Box Width



Box Depth



Box Height