



Hand protection

FBF15

THERMAL COLD WORKS

Thermal leather glove, ideal in cold environments thanks to the fur inside the glove



Specific benefits



Performance

· Excellent resistance to cold and humidity, ideal for cold environments down to -30°C

Applications

- Public Works
- Building
- Maintenance
- Temporary Work
- Storage

Certifications and norms



EN 388
2 1 2 2 X



EN 511
2
4
X

Risk Protection



Cold



enjoy safety.

Edit 29/09/2026
www.deltaplus-usa.com



Hand protection

FBF15

THERMAL COLD WORKS

Thermal leather glove, ideal in cold environments thanks to the fur inside the glove

Standards - Details



EN388:2016+A1:2018

2 [0-4] ABRASION RESISTANCE

1 [0-5] CUT RESISTANCE

2 [0-4] TEAR RESISTANCE

2 [0-4] PIERCE RESISTANCE

X [A-F] CUT RESISTANCE ISO 13997

Technical details

Glove kind	Special glove
Glove family	Cut and sewn leather palm / leather back
Mechanical Glove Type	Cut Sewn
Special gloves kind	Cold
Lining material	Leather
Thickness (mm)	1,0 -> 1,2
Cuff characteristic	Fleece lined cuff
Color	Yellow
Size	8, 10, 11
Type of conditioning	Bag of 6

Packaging

Sale unit: Bag of 6

60 pairs /box



Safety gloves

FBF15

THERMAL COLD WORKS

Thermal leather glove, ideal in cold environments thanks to the fur inside the glove

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
GLFBF1T601YE08 [FBF1508]	Yellow	08	FBF15	3295249039127	13295249039124	60	6	14.1 kg	30.6 cm	61.0 cm	39.4 cm
GLFBF1T601YE10 [FBF1510]	Yellow	10	FBF15	3295249014186	13295249014183	60	6	15.6 kg	29.2 cm	62.8 cm	40.4 cm
GLFBF1T601YE11 [FBF1511]	Yellow	11	FBF15	3295249039141	13295249039148	60	6	16.0 kg	39.4 cm	63.8 cm	30.4 cm



Multiple sales



Minimum sales



Box Width



Box Depth



Box Height