



DPVECUTD09

DIY WORK

Hand protection



Specific benefits



Hygiene

- Reduces perspiration thanks to its excellent breathability



Performance

- The 13-gauge and DELTAnocut+ fiber provides unsurpassed softness for excellent cut resistance
- The anti-slip properties of the polyurethane coating provides good grip.

Applications

- Public works
- Building
- Finishing works / Craftsmanship
- Maintenance
- Automotive
- Mining

Certifications and norms



EN 388
4 X 4 2 D

ANSI ISEA 105

A4



DPVECUTD09

DIY WORK

Hand protection

Standards - Details



EN388:2016+A1:2018

4 [0-4] ABRASION RESISTANCE
X [0-5] CUT RESISTANCE
4 [0-4] TEAR RESISTANCE
2 [0-4] PIERCE RESISTANCE
D [A-F] CUT RESISTANCE ISO 13997

Technical details

Glove kind	Mechanical glove
Glove family	Knitted coated glove
Mechanical glove kind	Knitted
Coating material and finition	PU
Coating level	Palm coated
Number of layer	Single layer
Gauge	13
Cuff characteristic	Long cuff
Cuff length	100 mm
Benefits element	Reach, Vendor pack, Long cuff (>290mm)
Color	Grey
Size	9, 10, 11
Type of packaging	Sold individually



Gants de protection

DPVECUTD09

TRAVAUX BRICOLAGE

Gant anticoupure niveau C avec renforts pour une plus grande durabilité, idéal en milieu sec

Informations logistiques

Référence	Couleur	Taille	Désignation	EAN 13	Code carton	PCB	SPCB	Poids
DPVECUTD09GR09	Gris	09	DPVECUTD09	3295249264710	13295249264717	60	6	0.0 kg
DPVECUTD09GR10	Gris	10	DPVECUTD09	3295249264727	13295249264724	60	6	0.0 kg
DPVECUTD09GR11	Gris	11	DPVECUTD09	3295249264734	13295249264731	60	6	0.0 kg