



DPVV736

DIY WORK

Hand protection



Specific benefits



Easy to use

· Perfect fit so that users do not feel any discomfort in the wrist area with prolonged use



Performance

· Excellent resistance to cold and humidity, ideal for cold environments down to -30°C

Applications

- Public Works
- Building
- Finishing Works/Craftsmanship
- Chemical Industry
- Automotive
- Petrochemical

Certifications and norms



EN 388
2 2 3 1 B



EN 511
1
2
1



EN 407
X 2 X X X X

Risk Protection



Cold



enjoy safety.



DPVV736

DIY WORK

Hand protection

Standards - Details



EN388:2016+A1:2018

- 2 [0-4] ABRASION RESISTANCE
- 2 [0-5] CUT RESISTANCE
- 3 [0-4] TEAR RESISTANCE
- 1 [0-4] PIERCE RESISTANCE
- B [A-F] CUT RESISTANCE ISO 13997

Technical details

Glove kind	Special glove
Glove family	Knitted coated glove
Mechanical Glove Type	Tricot
Special gloves kind	Cold
Coating material and finition	Double Nitrile Layer
Coating Level	Hand Coated
Number of Coatings	Double Coated
Gauge	15
Benefits element	Reach, DMF free, Vendor pack
Color	Blue-Black
Size	7, 8, 9, 10
Type of conditioning	Header card








DPVV736

DIY WORK

Safety gloves

Logistics Information

Reference	Color	Size	Designation	EAN13	Box Code			Weight			
DPVV736BL07	Blue-Black	07	DPVV736	3295249264741	13295249264748	60	6	0.0 kg	35.0 cm	50.0 cm	25.0 cm
DPVV736BL08	Blue-Black	08	DPVV736	3295249264680	13295249264687	60	6	0.0 kg	35.0 cm	49.0 cm	25.0 cm
DPVV736BL09	Blue-Black	09	DPVV736	3295249264697	13295249264694	60	6	8.7 kg	34.2 cm	33.8 cm	63.2 cm
DPVV736BL10	Blue-Black	10	DPVV736	3295249264703	13295249264700	60	6	0.0 kg	35.0 cm	50.0 cm	25.0 cm



Multiple Sales



Minimum Order Quantity



Box Width



Box Depth



Box Height