



DPVECUTD09

DIY WORK

Hand protection



Specific benefits



Hygiene

· Reduces perspiration thanks to its excellent breathability



Performance

· The 13-gauge and DELTAnocut+ fiber provides unsurpassed softness for excellent cut resistance

· The anti-slip properties of the polyurethane coating provides good grip.

Applications

- Public Works
- Building
- Finishing Works/Craftsmanship
- Maintenance
- Automotive
- Mining

Certifications and norms



EN 388
4 X 4 2 D

Risk Protection



Cutting



Wearing



DPVECUTD09

DIY WORK

Hand protection

Standards - Details



EN388:2016+A1:2018

4 [0-4] ABRASION RESISTANCE
X [0-5] CUT RESISTANCE
4 [0-4] TEAR RESISTANCE
2 [0-4] PIERCE RESISTANCE
D [A-F] CUT RESISTANCE ISO 13997

Technical details

Glove kind	Mechanical glove
Glove family	Knitted coated glove
Mechanical Glove Type	Tricot
Coating material and finition	PU
Coating Level	Palm Coating
Number of Coatings	Single Coated
Gauge	13
Cuff characteristic	Long cuff
Cuff length (mm)	100
Benefits element	Reach, Vendor pack, Long cuff (>290mm)
Color	Gray
Size	9, 10, 11
Type of conditioning	Header card



DPVECUTD09

DIY WORK

Safety gloves

Logistics Information

Reference	Color	Size	Designation	EAN13	Box Code			Weight			
DPVECUTD09GR09	Gray	09	DPVECUTD09	3295249264710	13295249264717	60	6	0.0 kg	35.0 cm	49.0 cm	20.0 cm
DPVECUTD09GR10	Gray	10	DPVECUTD09	3295249264727	13295249264724	60	6	0.0 kg	35.0 cm	49.0 cm	20.0 cm
DPVECUTD09GR11	Gray	11	DPVECUTD09	3295249264734	13295249264731	60	6	0.0 kg	35.0 cm	49.0 cm	20.0 cm

Multiple Sales

Minimum Order Quantity

Box Width

Box Depth

Box Height