




Hand protection

DPVE450

LANDSCAPING WORK

Thick chemical glove, ideal for heavy-duty handling



Specific benefits



Durability

· High-quality coating extends the life of the glove and provides excellent protection for the hand



Performance

· Lightweight for optimal dexterity

Applications

- Public Works
- Building
- Finishing Works/Craftsmanship
- Maintenance
- Chemical Industry
- Oil & Gas (Extraction)

Certifications and norms



EN 388
3 1 2 1 X



EN ISO 374-1
TYPE A
AKLMNOPT



EN ISO 374-5

Risk Protection



Biological



Wearing



Chemical



Particules



enjoy safety.



Hand protection

DPVE450

LANDSCAPING WORK

Thick chemical glove, ideal for heavy-duty handling

Standards - Details



EN388:2016+A1:2018

3 [0-4] ABRASION RESISTANCE
1 [0-5] CUT RESISTANCE
2 [0-4] TEAR RESISTANCE
1 [0-4] PIERCE RESISTANCE
X [A-F] CUT RESISTANCE ISO 13997



EN 374

A : MÉTHANOL
K
L
M
N
O
P
T

Technical details

Glove kind	Tight glove
Glove family	Tight glove unsupported powder free
Tight glove kind	Unsupported
Coating Level	Full Coating
Coating Material	Latex
Coating Finish	Smooth
Number of Coatings	Single Coated
Inner finition	Flocked
Thickness (mm)	1
Arm level protection	Forearm cuff (< 400mm)
Benefits element	Vendor pack
Color	Orange
Size	8, 9, 10, 11
Type of conditioning	Header card



Hand protection

DPVE450

LANDSCAPING WORK

Thick chemical glove, ideal for heavy-duty handling

Permeation table

Chemicals	Letter	CAS #	Permeation level	Permeation time (minutes)	Dégradation moyenne
Méthanol	A	67-56-1	6	480	-8.2%
Hydroxyde de sodium 40%	K	1310-73-2	6	480	-14.4%
Acide sulfurique 96%	L	7664-93-9	5	240	27.9%
Acide nitrique 65%	M	7697-37-2	6	480	17.6%
Acide acétique 99%	N	64-19-7	4	120	15.7%
Peroxyde d'hydrogène 30%	P	7722-84-1	6	480	7.0%
Formaldéhyde 37%	T	50-00-0	6	480	-5.1%








Safety gloves

DPVE450


LANDSCAPING WORK

Thick chemical glove, ideal for heavy-duty handling

Logistics Information

Reference	Color	Size	Designation	EAN13	Box Code			Weight			
DPVE450OR08	Orange	8/9	DPVE450	3295249203689	13295249203686	120	6	21.5 kg	38.6 cm	47.0 cm	44.2 cm
DPVE450OR10	Orange	10/11	DPVE450	3295249203696	13295249203693	120	6	24.84 kg	37.0 cm	46.6 cm	47.6 cm

 Multiple Sales

 Minimum Order Quantity

 Box Width

 Box Depth

 Box Height