



Hand protection

DC103

WORKS IN DRY ENVIRONMENT

Docker's mechanical glove, made from upholstery leather



Applications

- Public works
- Building
- Maintenance
- Temporary work
- Storage

Certifications and norms



EN 388
2111X



Hand protection

DC103

WORKS IN DRY ENVIRONMENT

Docker's mechanical glove, made from upholstery leather

Standards - Details



EN388:2016+A1:2018

2 [0-4] ABRASION RESISTANCE
1 [0-5] CUT RESISTANCE
1 [0-4] TEAR RESISTANCE
1 [0-4] PIERCE RESISTANCE
X [A-F] CUT RESISTANCE ISO 13997

Technical details

Glove kind	Mechanical glove
Glove family	Cut and sewn leather palm / textile back
Mechanical glove kind	Cut and sewn
Thickness	0,7 -> 0,9 mm
Cuff characteristic	Large safety cuff
Benefits element	Vendor pack
Color	Yellow-Blue
Size	10
Type of packaging	Pack of 12



Safety gloves

DC103

WORKS IN DRY ENVIRONMENT

Docker's mechanical glove, made from upholstery leather

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code	Multiple sales	Minimum sales	Weight
-----------	--------	------	-------------	-------	----------	----------------	---------------	--------