



DENALI S1PS SR

UTILITIES

Lightweight, breathable high-cut shoe for industrial use.

Foot protection



Specific benefits



Comfort

- Stabilisation of the foot when walking
- Shock-absorbing heel to relieve joint strain
- Padded collar for comfort and ankle support
- Lightweight product to reduce fatigue throughout the day



Hygiene

- Removable insock for easy cleaning
- Breathability

Applications

- Kmetijstvo
- Stavba
- Second work / craftman
- Predstavitve in dogodki
- Izobraževanje
- Gasilske in reševalne službe

Certifications and norms



EN ISO 20345

S1PS CI HI FO A E SR



DENALI S1PS SR

UTILITIES

Lightweight, breathable high-cut shoe for industrial use.

Foot protection

Standards - Details

Technical details

Shoe type	High shoe
Anti-perforation insert	Metal free
Upper material and finition	Split Leather
Safety toe-cap	Composite
Lining material	Mesh
Lining material finition	3d
Footbed material	Polyester, PU
Footbed characteristic	Cold barrier, Ergonomic, Shock-absorption, Removable, Heat barrier, Pre-molded
Outsole material	PU multi
Outsole finition	Injected
Weight	560 g per shoe
Size range	36 → 48



DENALI S1PS SR

TRAVAUX D'EXTERIEURS

Chaussure haute, légère et respirante, adaptée à l'industrie.

Protection des pieds

Informations logistiques

Référence	Couleur	Taille	Désignation	EAN 13	Code carton	PCB	SPCB	Poids
DENALSPSGR36	Gris	36	DENALI S1PS SR	3295249290801	13295249290808	5	1	6.7 kg
DENALSPSGR37	Gris	37	DENALI S1PS SR	3295249290955	13295249290952	5	1	6.8 kg
DENALSPSGR38	Gris	38	DENALI S1PS SR	3295249290962	13295249290969	5	1	7.2 kg
DENALSPSGR39	Gris	39	DENALI S1PS SR	3295249290979	13295249290976	5	1	7.4 kg
DENALSPSGR40	Gris	40	DENALI S1PS SR	3295249290986	13295249290983	5	1	7.5 kg
DENALSPSGR41	Gris	41	DENALI S1PS SR	3295249290993	13295249290990	5	1	7.8 kg
DENALSPSGR42	Gris	42	DENALI S1PS SR	3295249291006	13295249291003	5	1	7.9 kg
DENALSPSGR43	Gris	43	DENALI S1PS SR	3295249291013	13295249291010	5	1	8.6 kg
DENALSPSGR44	Gris	44	DENALI S1PS SR	3295249291020	13295249291027	5	1	9.0 kg
DENALSPSGR45	Gris	45	DENALI S1PS SR	3295249291037	13295249291034	5	1	9.5 kg
DENALSPSGR46	Gris	46	DENALI S1PS SR	3295249291044	13295249291041	5	1	9.5 kg
DENALSPSGR47	Gris	47	DENALI S1PS SR	3295249291051	13295249291058	5	1	9.0 kg
DENALSPSGR48	Gris	48	DENALI S1PS SR	3295249291068	13295249291065	5	1	9.7 kg