



NICKEL S5 CI SRC

INDUSTRY-CONSTRUCTION & CIVIL ENGINEERING

Fur-lined safety half-boot, ideal for cold climates with comfortable fit provided by the gripping straps

Foot protection



Specific benefits



Comfort

- Shock-absorbing heel to relieve joint strain
- Ergonomically designed footwear for comfortable wear



Performance

- Construction of the model for great insulation against the cold
- High stability ensured by the sole's grip properties



Easy to use

- Grip handles for easy donning of product



Sustainability

- Sustainable materials

Applications

- Agriculture
- Public Works
- Building
- Finishing Works/Craftsmanship
- Light Industry
- Maintenance

Certifications and norms



EN ISO 20345

S5 CI FO A E SRC

Risk Protection



Antistatic



Shock



Cold



Slip



enjoy safety.



NICKEL S5 CI SRC

INDUSTRY-CONSTRUCTION & CIVIL ENGINEERING

Foot protection

Fur-lined safety half-boot, ideal for cold climates with comfortable fit provided by the gripping straps

Standards - Details

Technical details

Type of Shoe	Boot
Outsole material	Nitrile, PVC
Anti-perforation insert	Stainless steel
Upper material	PVC
Upper height size 9 (cm)	27
Calf circumference (cm)	45
Safety toe-cap	Stainless steel
Lining material	Textile, Polyester, Synthetical-fur
Lining Material Finish	Molleton
Footbed material	Felt
Footbed characteristic	Cold barrier, Removable
Outsole finition	Injected
Weight (g per shoe)	1200
Size range	39 → 46








Foot protection

NICKEL S5 CI SRC

INDUSTRY-CONSTRUCTION & CIVIL ENGINEERING

Fur-lined safety half-boot, ideal for cold climates with comfortable fit provided by the gripping straps

Logistics Information

Reference	Color	Size	Designation	EAN13	Box Code			Weight			
NICKES5NO39	Black	6	NICKEL S5 CI SRC	3295249259426	13295249259423	6	1	15.5 kg	39.8 cm	40.0 cm	40.2 cm
NICKES5NO40	Black	7	NICKEL S5 CI SRC	3295249259433	13295249259430	6	1	15.6 kg	39.8 cm	40.0 cm	39.6 cm
NICKES5NO41	Black	8	NICKEL S5 CI SRC	3295249259440	13295249259447	6	1	15.1 kg	39.4 cm	40.2 cm	39.8 cm
NICKES5NO42	Black	9	NICKEL S5 CI SRC	3295249259457	13295249259454	6	1	15.5 kg	39.8 cm	40.4 cm	40.2 cm
NICKES5NO43	Black	10	NICKEL S5 CI SRC	3295249259464	13295249259461	6	1	16.9 kg	39.4 cm	40.4 cm	40.6 cm
NICKES5NO44	Black	11	NICKEL S5 CI SRC	3295249259471	13295249259478	6	1	17.0 kg	39.8 cm	41.8 cm	40.6 cm
NICKES5NO45	Black	11,5	NICKEL S5 CI SRC	3295249259488	13295249259485	6	1	17.9 kg	40.6 cm	41.8 cm	40.0 cm
NICKES5NO46	Black	12	NICKEL S5 CI SRC	3295249259495	13295249259492	6	1	15.6 kg	40.0 cm	40.0 cm	40.0 cm



Multiple Sales



Minimum Order Quantity



Box Width



Box Depth



Box Height