



Foot protection

PERTUIS3 S1P SRC

CONSTRUCTION

Low-cut non-magnetic shoe, combining durability and breathability, with wide and high crampons, for all types of soil



Specific benefits



Comfort

- Stabilisation of the foot when walking
- Shock-absorbing heel to relieve joint strain
- Dual-density outsole



Performance

- High stability ensured by the sole's grip properties



Hygiene

- Removable insock for easy cleaning

Certifications and norms



EN ISO 20345
S1PS FO A E SR

Applications

- Agriculture
- Public Works
- Finishing Works/Craftsmanship
- Events & Scenic
- Light Industry
- Maintenance

Risk Protection



Antistatic



Shock



Slip



Perforation



enjoy safety.

Edit 22/04/2025
www.deltaplus-usa.com



PERTUIS3 S1P SRC

CONSTRUCTION

Foot protection

Low-cut non-magnetic shoe, combining durability and breathability, with wide and high crampons, for all types of soil

Standards - Details

Technical details

Type of Shoe	Low Shoe
Outsole material	PU, 2d
Anti-perforation insert	Metal free
Upper material	Leather, Textile, Mesh
Upper finition material	Split Leather, Velvet
Safety toe-cap	Composite
Lining material	Textile, Polyester
Footbed material	EVA, Polyamide
Footbed characteristic	Removable, Pre-molded
Outsole finition	Injected
Weight (g per shoe)	622
Size range	36 → 47








Foot protection

PERTUIS3 S1P SRC CONSTRUCTION

Low-cut non-magnetic shoe, combining durability and breathability, with wide and high crampons, for all types of soil

Logistics Information

Reference	Color	Size	Designation	EAN13	Box Code			Weight			
PERT3SPVN41	Green-Black	8	PERTUIS3 S1P SRC	3295249191221	13295249191228	5	1	7.85 kg	59.5 cm	22.0 cm	34.5 cm
PERT3SPVN42	Green-Black	9	PERTUIS3 S1P SRC	3295249191238	13295249191235	5	1	8.45 kg	64.5 cm	24.4 cm	35.5 cm
PERT3SPVN43	Green-Black	10	PERTUIS3 S1P SRC	3295249191245	13295249191242	5	1	8.8 kg	64.5 cm	24.4 cm	35.5 cm



Multiple Sales



Minimum Order Quantity



Box Width



Box Depth



Box Height