



Foot protection

# TW402 S3 SRC

## CONSTRUCTION

All-terrain high-cut shoe, combining robustness and durability, regardless of the conditions



## Specific benefits



### Comfort

- Stabilisation of the foot when walking
- Shock-absorbing heel to relieve joint strain
- Padded collar for comfort and ankle support



### Performance

- Sole designed to withstand contact heat up to 300°C
- Metal-free: get through every security gate without a hitch thanks to the absence of metal.
- High stability ensured by the sole's grip properties

## Certifications and norms



EN ISO 20345

S3S HRO CI HI WRU FO A E SC LG SRC

## Applications

- Agriculture
- Public Works
- Building
- Finishing Works/Craftsmanship
- Automotive
- Mining



Foot protection

# TW402 S3 SRC

## CONSTRUCTION

All-terrain high-cut shoe, combining robustness and durability, regardless of the conditions

### Standards - Details

### Technical details

|                             |                                   |
|-----------------------------|-----------------------------------|
| Type of Shoe                | High Shoes                        |
| Anti-perforation insert     | Metal free                        |
| Upper material and finition | Grain Leather                     |
| Safety toe-cap              | Composite                         |
| Lining material             | Polyamide                         |
| Lining Material Finish      | Absorbent                         |
| Footbed material            | EVA, Polyester                    |
| Footbed caracteristic       | Removable, Breathable, Pre-molded |
| Outsole material            | Nitrile/PU                        |
| Outsole finition            | Welded                            |
| Weight                      | 972 g per shoe                    |
| Size range                  | 39 → 48                           |



Ochrana nohou

# TW402 S3 SRC

## CONSTRUCTION

Vysoká bota do každého terénu kombinující robustnost a odolnost za jakýchkoli podmínek

### Logistické informace

| Odkaz       | Barva | Velikost | Označení     | EAN 13        | Kód kartonu    | PCB | SPCB | Hmotnost |
|-------------|-------|----------|--------------|---------------|----------------|-----|------|----------|
| TW402S3NO39 | Černá | 39       | TW402 S3 SRC | 3295249222734 | 13295249222731 | 5   | 1    | 9.3 kg   |
| TW402S3NO40 | Černá | 40       | TW402 S3 SRC | 3295249224363 | 13295249224360 | 5   | 1    | 9.5 kg   |
| TW402S3NO41 | Černá | 41       | TW402 S3 SRC | 3295249224370 | 13295249224377 | 5   | 1    | 9.9 kg   |
| TW402S3NO42 | Černá | 42       | TW402 S3 SRC | 3295249224387 | 13295249224384 | 5   | 1    | 10.2 kg  |
| TW402S3NO43 | Černá | 43       | TW402 S3 SRC | 3295249224394 | 13295249224391 | 5   | 1    | 10.5 kg  |
| TW402S3NO44 | Černá | 44       | TW402 S3 SRC | 3295249224400 | 13295249224407 | 5   | 1    | 11.1 kg  |
| TW402S3NO45 | Černá | 45       | TW402 S3 SRC | 3295249224417 | 13295249224414 | 5   | 1    | 11.4 kg  |
| TW402S3NO46 | Černá | 46       | TW402 S3 SRC | 3295249224424 | 13295249224421 | 5   | 1    | 11.5 kg  |
| TW402S3NO47 | Černá | 47       | TW402 S3 SRC | 3295249224431 | 13295249224438 | 5   | 1    | 11.8 kg  |
| TW402S3NO48 | Černá | 48       | TW402 S3 SRC | 3295249224448 | 13295249224445 | 5   | 1    | 12.0 kg  |