



# FENNEC3 S1P SRC

## MANUFACTURING

Foot protection

Low-cut shoe, combining durability and breathability, as well as optimal grip on all surfaces



### Specific benefits



#### Comfort

- Stabilisation of the foot when walking
- Shock-absorbing heel to relieve joint strain
- Dual-density outsole



#### Performance

- Ladder side grip: sole design for good grip on ladders
- High stability ensured by the sole's grip properties



#### Hygiene

- Removable insock for easy cleaning

### Certifications and norms



EN ISO 20345  
S1P FO A E SRC

### Applications

- Public Works
- Building
- Finishing Works/Craftsmanship
- Events & Scenic
- Light Industry
- Maintenance

### Risk Protection



Antistatic



Shock



Slip



Perforation



# FENNEC3 S1P SRC

## MANUFACTURING

Foot protection

Low-cut shoe, combining durability and breathability, as well as optimal grip on all surfaces

### Standards - Details

### Technical details

Type of Shoe	Low Shoe
Outsole material	PU, 2d
Anti-perforation insert	Stainless steel
Upper material	Leather
Upper finition material	Split Leather, Velvet
Safety toe-cap	Stainless steel
Lining material	Textile, Polyamide
Lining Material Finish	Absorbent
Footbed material	EVA, Polyester
Footbed characteristic	Removable, Breathable, Pre-molded
Outsole finition	Injected
Weight (g per shoe)	628
Size range	36 → 47








Foot protection

# FENNEC3 S1P SRC

## MANUFACTURING

Low-cut shoe, combining durability and breathability, as well as optimal grip on all surfaces

### Logistics Information

Reference	Color	Size	Designation	EAN13	Box Code			Weight			
FEN3PGR44	Gray	11	FENNEC3 S1P SRC	3295249218966	13295249218963	10	1	15.2 kg	44.0 cm	59.6 cm	33.8 cm
FEN3PGR45	Gray	11,5	FENNEC3 S1P SRC	3295249218973	13295249218970	10	1	16.4 kg	44.0 cm	59.6 cm	34.6 cm
FEN3PGR47	Gray	13	FENNEC3 S1P SRC	3295249218997	13295249218994	5	1	9.5 kg	25.6 cm	64.6 cm	36.2 cm



Multiple Sales



Minimum Order Quantity



Box Width



Box Depth



Box Height