



Foot protection

# FENNEC3 S1 SRC

## MANUFACTURING

Low-cut shoe, combining durability and breathability, as well as optimal grip on all surfaces



### Specific benefits



#### Comfort

- Stabilisation of the foot when walking
- Shock-absorbing heel to relieve joint strain
- Dual-density outsole



#### Hygiene

- Removable insock for easy cleaning



#### Performance

- Ladder side grip: sole design for good grip on ladders
- High stability ensured by the sole's grip properties

### Certifications and norms



EN ISO 20345

S1 FO A E SRC

### Applications

- Public works
- Building
- Finishing works / Craftsmanship
- Events & scenic
- Light industry
- Maintenance



Foot protection

# FENNEC3 S1 SRC

## MANUFACTURING

Low-cut shoe, combining durability and breathability, as well as optimal grip on all surfaces

### Standards - Details

### Technical details

Shoe type	Low shoe
Anti-perforation insert	None
Upper material and finition	Split Leather
Safety toe-cap	Stainless steel
Lining material	Textile, Polyamid
Lining material finition	Absorbing
Footbed material	EVA
Outsole material	PU multi
Outsole finition	Injected
Weight	477 g per shoe
Size range	36 → 47



Foot protection

# FENNEC3 S1 SRC

## MANUFACTURING

Low-cut shoe, combining durability and breathability, as well as optimal grip on all surfaces

### Logistics Information

Reference	Color	Size	Designation	EAN13	Box Code	Multiple Sales	Minimum Order Quantity	Weight
FENN3GR37	Gray	5	FENNEC3 S1 SRC	3295249218782	13295249218789	10	1	15.0 kg
FENN3GR40	Gray	7	FENNEC3 S1 SRC	3295249218812	13295249218819	10	1	12.4 kg
FENN3GR45	Gray	11,5	FENNEC3 S1 SRC	3295249218867	13295249218864	10	1	14.7 kg
FENN3GR47	Gray	13	FENNEC3 S1 SRC	3295249218881	13295249218888	5	1	9.25 kg