



Foot protection

FENNEC4 S1 SRC

MANUFACTURING

Low-cut shoe, combining durability and breathability, as well as optimal grip on all surfaces



Specific benefits



Comfort

- Stabilisation of the foot when walking
- Shock-absorbing heel to relieve joint strain
- Dual-density outsole



Hygiene

- Removable insock for easy cleaning



Performance

- Ladder side grip: sole design for good grip on ladders
- High stability ensured by the sole's grip properties

Certifications and norms



EN ISO 20345

S1 FO A E SRC

Applications

- Public works
- Building
- Finishing works / Craftsmanship
- Events & scenic
- Light industry
- Maintenance



Foot protection

FENNEC4 S1 SRC

MANUFACTURING

Low-cut shoe, combining durability and breathability, as well as optimal grip on all surfaces

Standards - Details

Technical details

Shoe type	Low shoe
Anti-perforation insert	None
Upper material and finition	Split Leather
Safety toe-cap	Stainless steel
Lining material	Polyamid
Lining material finition	Absorbing
Footbed material	EVA, Polyester
Footbed caracteristic	Removable, Breathable, Pre-molded
Outsole material	PU multi
Outsole finition	Injected
Weight	477 g per shoe
Size range	36 → 47



Protection des pieds

FENNEC4 S1 SRC

INDUSTRIE LÉGÈRE

Chaussure basse, alliant durabilité et respirabilité, ainsi qu'une adhérence optimale sur tous types de sols

Informations logistiques

Référence	Couleur	Taille	Désignation	EAN 13	Code carton	PCB	SPCB	Poids
FENN4GR36	Gris	36	FENNEC4 S1 SRC	3295249243012	13295249243019	10	1	11.48 kg
FENN4GR37	Gris	37	FENNEC4 S1 SRC	3295249243340	13295249243347	10	1	11.72 kg
FENN4GR38	Gris	38	FENNEC4 S1 SRC	3295249243357	13295249243354	10	1	11.98 kg
FENN4GR39	Gris	39	FENNEC4 S1 SRC	3295249243371	13295249243378	10	1	12.24 kg
FENN4GR40	Gris	40	FENNEC4 S1 SRC	3295249243388	13295249243385	10	1	12.51 kg
FENN4GR41	Gris	41	FENNEC4 S1 SRC	3295249243395	13295249243392	10	1	12.89 kg
FENN4GR42	Gris	42	FENNEC4 S1 SRC	3295249243401	13295249243408	10	1	13.25 kg
FENN4GR43	Gris	43	FENNEC4 S1 SRC	3295249243418	13295249243415	10	1	13.61 kg
FENN4GR44	Gris	44	FENNEC4 S1 SRC	3295249243425	13295249243422	10	1	13.98 kg
FENN4GR45	Gris	45	FENNEC4 S1 SRC	3295249243432	13295249243439	10	1	14.37 kg
FENN4GR46	Gris	46	FENNEC4 S1 SRC	3295249243449	13295249243446	5	1	7.57 kg
FENN4GR47	Gris	47	FENNEC4 S1 SRC	3295249243456	13295249243453	5	1	7.73 kg