Head protection

ASO2 CLEAR

SAFETY GLASSES

Clear-lens safety glasses with adjustable nose bridge and bi-material arms for comfort



Certifications and norms

CE

EN170
UV 2C - 1.2

EN166
1 FT KN / FT

ANSI-ISEA Z87.1 - IMPACT
Z87+ U6

Risk Protection

Shock

UV / IR

Specific benefits

Comfort

· Flex temples for an optimal comfort with less pressure
· Soft & flex nose bridge for a better comfort in an extended period of use

Easy to use

· Anti-slip ends for an increased comfort and very good hold on the head (or on a helmet)

Durability

· Anti-scratch coating increasing lifespan

Compatibility

· Extra flat temples for optimal comfort wiht Ear muffs

Benefits elements

· Color perception

Applications

- **Public Works**
- **Building**
- **Finishing Works/Craftsmanship**
- **Transportation**
- **Storage**



Head protection

ASO2 CLEAR

SAFETY GLASSES

Clear-lens safety glasses with adjustable nose bridge and bi-material arms for comfort

Standards - Details

Technical details

Use	Inside
Type of eye protection	Glasses
Lens Material	Polycarbonate
Lens treatment	Fog (N), Anti-scratch (K)
Lens based curve	9.5
Glasses Style	Dual Lens
Lens color	Clear
Optical class	1
Lens protection class	1.2
Glasses Characteristics	Curved
Mechanical strength (lens)	F, T
Nose pad material	TPR (Thermoplastic Rubber)
Frame Material	Polycarbonate, TPR
Frame Support	Temples
Mechanical strength (frame)	F, T
Temple Benefits	Non-slip temples, Flexible tip
Temples confort	Non-slip temples, Flexible tip
Accessory included	Strap
Weight (g)	28



Head protection

ASO2 CLEAR

SAFETY GLASSES

Clear-lens safety glasses with adjustable nose bridge and bi-material arms for comfort

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
ASO0102CL0KN00 [ASO2IN]	Clear	-	ASO2 CLEAR	3295249228224	13295249228221	100	10	7.6 kg	35.0 cm	70.0 cm	36.0 cm

Multiple sales

Minimum sales

Box Width

Box Depth

Box Height