



FORESTIER 3

安全帽

头部防护

安全头盔具有防护纱面罩和隔音外壳，是清理作业的理想选择



具体优势

舒适性

- 由3根织带交织组成8个支点，以实现最佳的重量分布
- 可调节头带，向下或向下调节至最佳位置，提升佩戴贴合度和舒适度
- 头围大小可调节 (53cm-63cm)，实现最佳舒适性

卫生环保

- 头带可替换，更加卫生
- 织带内衬可替换，更加卫生
- 可拆卸的额部衬垫，可清洗，可更换，完美解决卫生问题

应用行业

- 农业
- 林业

标准和认证



EN 397
-10°C +50°C
440VAC



EN 50365
0级

EN 1731
F

EN 352-3
SNR: 24 DB
H: 27
M: 21
L: 14
S/M/L

EN 166
F

防范风险



噪音



冲击



电力



FORESTIER 3

安全帽

头部防护

安全头盔具有防护纱面罩和隔音外壳，是清理作业的理想选择

详细信息 - 标准

技术细节

产品类型	特定安全帽
该套件包括：	1x ZIRCON1, 1x SUZUKA2, 1x VISORHOLDER, 1x VISORG
特定安全帽	森林头盔
外壳材质	HDPE, 无边帽材料/聚丙烯
头围尺寸 (cm)	53-63 cm
聚合物线束	PE (聚乙烯)
帽衬调节	滑动棘轮
通风	不通风
帽衬支点	8个支点
颈带材质	聚酯纤维
安全帽帽檐	微型
可用或可更换配件	胸卡袋, 反光条, 吸汗头带, 面罩, 下颏带, 巴萨尼粗纺毛绒斜纹织物, 听力防护, 下颏带下巴保护, 网格面屏, 护颈, Logo, 安全帽帽衬, 软帽
安装缺口 (用于耳罩固定)	是
综合选择	集成网状面罩选项
定制logo	不配有下颏带
兼容的产品	面罩, 耳罩
耐低温	-10°C
耐高温	+50°C
重量 (g)	762
Weight (lbs)	1.6764
第1次使用起的产品寿命	36个月
自生产之日起的产品寿命	60个月








FORESTIER 3

SAFETY HELMETS


Head protection

Safety helmet ideal for clearing applications due to its protective gauze visor and soundproof shells

Logistics Information

Reference	Color	Size	Designation	EAN13	Box Code			Weight			
FORE0P101ORA D [FORE3OR]	Orange	Adjustable	FORESTIER 3	3295249235314	13295249235311	12	1	14.0 kg	39.8 cm	68.0 cm	63.6 cm

 Multiple Sales

 Minimum Order Quantity

 Box Width

 Box Depth

 Box Height