



Fall protection

# AM018

## CONNECTORS

Automatic lock, quarter-turn karabiner for easy opening and reduced risk of mishandling



## Applications

- Agriculture
- Building
- Finishing works / Craftsmanship
- Maintenance
- Chemical industry
- Oil & Gas (extraction)

## Certifications and norms

EN 362



Fall protection

# AM018

## CONNECTORS

Automatic lock, quarter-turn karabiner for easy opening and reduced risk of mishandling

### Standards - Details

### Technical details

|                                 |                                        |
|---------------------------------|----------------------------------------|
| Type of equipment               | Karabiner with 1/4 turn automatic lock |
| Composition of the main support | Steel                                  |
| Length                          | 0,107 m                                |
| Gate opening                    | 17 mm                                  |
| Opening                         | 0.6681 inch                            |
| Lock                            | Automatic system                       |
| Fastening                       | Automatic                              |
| Color                           | Steel                                  |
| SIZE                            | One size                               |
| Weight                          | 0,200 kg                               |



Protecție anticădere

# AM018

## CONNECTORS

Carabinieră cu închidere cu sfert de rotație, cu blocare automată care facilitează deschiderea și limitează riscurile de manipulare greșită

### Informations logistiques

| Referință | Colour  | Dimensiune | Desemnare | EAN 13        | Codul de carton | PCB | SPCB | Greutate |
|-----------|---------|------------|-----------|---------------|-----------------|-----|------|----------|
| AM018     | Metalic | Unică      | AM018     | 3295249182885 | 13295249182882  | 20  | 1    | 4.5 kg   |