



Fall protection

TR00520

FALL ARREST AND RESCUE, CONFINED SPACE

Manual winch, with 20 m cable, adaptable to our tripods and davit arm



Applications

- Agriculture
- Building
- Finishing Works/Craftsmanship
- Maintenance
- Chemical Industry
- Oil & Gas (Extraction)

Certifications and norms



2006/42/EEC

Risk Protection



Fall



Fall protection

TR00520

FALL ARREST AND RESCUE, CONFINED SPACE

Manual winch, with 20 m cable, adaptable to our tripods and davit arm

Standards - Details

Technical details

Type of equipment	Manual winch
Composition of the main support	Galvanized steel
ARA lenght (m)	20
ARA lenght (inch)	787.402
Color	Steel
Connector 1	Automatic lock hook, steel, opening 22mm
Lifespan from manufacturing (years)	20
Safe working load (kg)	250








Fall protection

TR00520

FALL ARREST AND RESCUE, CONFINED SPACE

Manual winch, with 20 m cable, adaptable to our tripods and davit arm

Logistics Information

Reference	Color	Size	Designation	EAN13	Box Code			Weight			
TR00520	Steel	20 m	TR00520	3295249219161	13295249219168	1	1	18.0 kg	40.0 cm	30.0 cm	25.0 cm



Multiple Sales



Minimum Order Quantity



Box Width



Box Depth



Box Height