



Fall protection

CAMELEON AN066A

FALL ARRESTERS ON ROPE

Sliding fall arrest system with energy absorber that facilitates the user's movements



Specific benefits



Ease of Use

- NFC system guarantees traceability



Visibility

- Anti-fall visual indicator allows for instant verification that product is properly functioning

Applications

- Agriculture
- Building
- Finishing Works/Craftsmanship
- Maintenance
- Chemical Industry
- Oil & Gas (Extraction)

Certifications and norms



EN 12841
TYPE A TYPE B

EN353-2
100 KG

Risk Protection



Fall



enjoy safety

Edit 15/07/2026
www.deltaplus-usa.com



Fall protection

CAMELEON AN066A

FALL ARRESTERS ON ROPE

Sliding fall arrest system with energy absorber that facilitates the user's movements

Standards - Details

Technical details

Type of equipment	Braided rope
Composition of the main support	Steel, Stainless steel, Polyester, Polyethylene
Maximum rope diameter (mm)	11
Maximum rope diameter (inch)	0.4323
Included elements	With extension tab with energy absorber
Color	Grey-Orange
Benefits element	Fall indicator
Weight (kg)	0,706
Fall arrest work situations	Movement on lifeline, Restraint, Long vertical movement or movement on inclined surface, Long vertical movement or movement on inclined surface for rope access work



Fall protection

CAMELEON AN066A

FALL ARRESTERS ON ROPE

Sliding fall arrest system with energy absorber that facilitates the user's movements

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
LIN2999001100 [AN066A]	Grey-Orange	One size	CAMELEON AN066A	3295249180447	13295249180444	5	1	4.6 kg	28.0 cm	47.0 cm	13.0 cm



Multiple sales



Minimum sales



Box Width



Box Depth



Box Height