



Fall protection

LV106

ANCHORAGE DEVICES

Swivel anchor for vertical or horizontal installation



Applications

- Agriculture
- Building
- Finishing Works/Craftsmanship
- Maintenance
- Chemical Industry
- Oil & Gas (Extraction)

Certifications and norms



EN 795
TYPE A

Risk Protection



Fall



Fall protection

LV106

ANCHORAGE DEVICES

Swivel anchor for vertical or horizontal installation

Standards - Details

Technical details

Type of equipment	Swivel anchorage point
Composition of the main support	Stainless steel
Color	Steel
Weight (kg)	0,100
Breaking Strength (Kn)	12kN
Fall arrest work situations	Restraint, Rescue and evacuation, Long vertical movement or movement on inclined surface, Long vertical movement or movement on inclined surface for rope access work, Short vertical movement or movement on inclined surface (less than 3 m), Long horizontal movement on horizontal surface, Long horizontal movement on vertical structure, Short horizontal movement (less than 3 m)



Fall protection

LV106

ANCHORAGE DEVICES

Swivel anchor for vertical or horizontal installation

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
ANC05SS999011 [LV106]	Steel	One size	LV106	3295249213329	13295249213326	10	1	1.0 kg	30.5 cm	22.5 cm	10.0 cm



Multiple sales



Minimum sales



Box Width



Box Depth



Box Height