



坠落防护

# PROTECTOR TETRA AN14008T

## 可伸缩防坠落装置

自动伸缩式织带防坠落装置，可垂直和水平使用，最远距离可达 8 米



### 具体优势



卫生环保

· 系带和织物面料可用中性肥皂洗涤



易用性

· 携带手柄，便于运输  
· NFC系统保证可追溯性



耐用性

· 抗冲击ABS外壳



可见性

· 视觉坠落指示器，用于即时验证产品是否正常工作

### 应用行业

- 建筑业
- 维修业
- 化工业
- 石油化工
- 仓储

### 标准和认证



3类

EN360

RFU 10.060  
水平认证



AR 1983

### 防范风险



坠落



enjoy safety.

编辑 08/05/2026  
www.deltaplus.com.cn



# PROTECTOR TETRA AN14008T

## 可伸缩防坠落装置

坠落防护

自动伸缩式织带防坠落装置，可垂直和水平使用，最远距离可达 8 米

### 详细信息 - 标准

### 技术细节

装备类型	织带卷轴
主要支架的组成	ABS, 支撑材料/聚酯纤维
最大长度 (m)	8
带宽 (mm)	25
ARA长度 (m)	8
ARA长度 (inch)	314.9608
包含配件	包含能量吸收器
颜色	橙色
连接器 (用户方)	小钩, 钢制, 开口21mm
产品优势	坠落指示器
自生产之日起的产品寿命 (年)	10
重量 (kg)	5,4
一人最大载重量 (kg)	100
防坠落作业类型	永久性建筑上的垂直移动, 长距离垂直移动或倾斜表面上的移动, 水平表面上的长距离水平移动, 垂直结构上的长距离水平移动
锁定系统	惯性锁定系统
Use of self retracting	Horizontal, Vertical








Fall protection

# PROTECTOR TETRA AN14008T


## RETRACTABLE FALL ARRESTERS

Self-retractable webbing fall arrester for vertical and horizontal use, for distances of up to 8 metres

### Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
SRLPROS00803 OR [ AN14008T ]	Orange	8 m	PROTECTOR TETRA AN14008T	3295249195489	13295249195486	1	1	5.7 kg	39.0 cm	28.0 cm	14.0 cm

 Multiple sales

 Minimum sales

 Box Width

 Box Depth

 Box Height